

List of products containing lithium batteries

■Products containing lithium batteries when shipped by Mitutoyo

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
CNC COORDINATE MEASURING MACHINE	191-241	CRYSTA-APEX S544	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-241-10	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-242	CRYSTA-APEX S544	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-242-10	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-243	CRYSTA-APEX S544	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-243-01	CRYSTA-APEX S544	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-243-10	c	lithium-metal cell	6.3g	0.18g	
	191-243-11	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-243-12	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-243-13	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-244	CRYSTA-APEX S544	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-244-01	CRYSTA-APEX S544	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-244-10	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-244-11	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-244-12	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-244-13	CRYSTA-APEX S544	lithium-metal cell	6.3g	0.18g	
	191-245	CRYSTA-APEX S574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-245-10	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-246	CRYSTA-APEX S574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-246-10	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-247	CRYSTA-APEX S574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-247-01	CRYSTA-APEX S574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-247-10	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-247-11	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-247-12	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-247-13	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-248	CRYSTA-APEX S574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-248-01	CRYSTA-APEX S574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-248-10	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-248-11	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-248-12	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-248-13	CRYSTA-APEX S574	lithium-metal cell	6.3g	0.18g	
	191-251	CRYSTA-APEX S776	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	
	191-251-10	CRYSTA-APEX S776	lithium-metal cell	6.3g	0.18g	
	191-252	CRYSTA-APEX S776	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-252-01	CRYSTA-APEX S776	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-252-10	CRYSTA-APEX S776	lithium-metal cell	6.3g	0.18g	
	191-252-11	CRYSTA-APEX S776	lithium-metal cell	6.3g	0.18g	
	191-252-12	CRYSTA-APEX S776	lithium-metal cell	6.3g	0.18g	
	191-252-13	CRYSTA-APEX S776	lithium-metal cell	6.3g	0.18g	
	191-253	CRYSTA-APEX S7106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-253-10	CRYSTA-APEX S7106	lithium-metal cell	6.3g	0.18g	
	191-254	CRYSTA-APEX S7106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-254-01	CRYSTA-APEX S7106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	※
	191-254-10	CRYSTA-APEX S7106	lithium-metal cell	6.3g	0.18g	
	191-254-11	CRYSTA-APEX S7106	lithium-metal cell	6.3g	0.18g	
	191-254-12	CRYSTA-APEX S7106	lithium-metal cell	6.3g	0.18g	
191-254-13	CRYSTA-APEX S7106	lithium-metal cell	6.3g	0.18g		
191-265	CRYSTA-APEX S163012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)		
191-265-10	CRYSTA-APEX S163012	lithium-metal cell	6.3g	0.18g		
191-265H	CRYSTA-APEX S163016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)		
191-265H-10	CRYSTA-APEX S163016	lithium-metal cell	6.3g	0.18g		
191-266	CRYSTA-APEX S163012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)		
191-266-01	CRYSTA-APEX S163012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)		
191-266-01EU	CRYSTA-APEX S163012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)		

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
CNC COORDINATE MEASURING MACHINE	191-266-10	CRYSTA-APEX S163012	lithium-metal cell	6.3g	0.18g
	191-266-10EU	CRYSTA-APEX S163012	lithium-metal cell	6.3g	0.18g
	191-266-11	CRYSTA-APEX S163012	lithium-metal cell	6.3g	0.18g
	191-266-11EU	CRYSTA-APEX S163012	lithium-metal cell	6.3g	0.18g
	191-266-12	CRYSTA-APEX S163012	lithium-metal cell	6.3g	0.18g
	191-266-13	CRYSTA-APEX S163012	lithium-metal cell	6.3g	0.18g
	191-266EU	CRYSTA-APEX S163012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-266H	CRYSTA-APEX S163016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-266H-01EU	CRYSTA-APEX S163016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-266H-10	CRYSTA-APEX S163016	lithium-metal cell	6.3g	0.18g
	191-266H-10EU	CRYSTA-APEX S163016	lithium-metal cell	6.3g	0.18g
	191-266H-11	CRYSTA-APEX S163016	lithium-metal cell	6.3g	0.18g
	191-266H-11EU	CRYSTA-APEX S163016	lithium-metal cell	6.3g	0.18g
	191-266H-12	CRYSTA-APEX S163016	lithium-metal cell	6.3g	0.18g
	191-266H-13	CRYSTA-APEX S163016	lithium-metal cell	6.3g	0.18g
	191-266HEU	CRYSTA-APEX S163016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-275	CRYSTA-APEX S164012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-275-10	CRYSTA-APEX S164012	lithium-metal cell	6.3g	0.18g
	191-275H	CRYSTA-APEX S164016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-275H-10	CRYSTA-APEX S164016	lithium-metal cell	6.3g	0.18g
	191-276	CRYSTA-APEX S164012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-276-01	CRYSTA-APEX S164012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-276-01EU	CRYSTA-APEX S164012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-276-10	CRYSTA-APEX S164012	lithium-metal cell	6.3g	0.18g
	191-276-10EU	CRYSTA-APEX S164012	lithium-metal cell	6.3g	0.18g
	191-276-11	CRYSTA-APEX S164012	lithium-metal cell	6.3g	0.18g
	191-276-11EU	CRYSTA-APEX S164012	lithium-metal cell	6.3g	0.18g
	191-276-12	CRYSTA-APEX S164012	lithium-metal cell	6.3g	0.18g
	191-276-13	CRYSTA-APEX S164012	lithium-metal cell	6.3g	0.18g
	191-276EU	CRYSTA-APEX S164012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-276H	CRYSTA-APEX S164016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-276H-01	CRYSTA-APEX S164016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-276H-01EU	CRYSTA-APEX S164016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-276H-10	CRYSTA-APEX S164016	lithium-metal cell	6.3g	0.18g
	191-276H-10EU	CRYSTA-APEX S164016	lithium-metal cell	6.3g	0.18g
	191-276H-11	CRYSTA-APEX S164016	lithium-metal cell	6.3g	0.18g
	191-276H-11EU	CRYSTA-APEX S164016	lithium-metal cell	6.3g	0.18g
	191-276H-12	CRYSTA-APEX S164016	lithium-metal cell	6.3g	0.18g
	191-276H-13	CRYSTA-APEX S164016	lithium-metal cell	6.3g	0.18g
	191-276HEU	CRYSTA-APEX S164016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-285	CRYSTA-APEX S162012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-285-10	CRYSTA-APEX S162012	lithium-metal cell	6.3g	0.18g
	191-285H	CRYSTA-APEX S162016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-285H-10	CRYSTA-APEX S162016	lithium-metal cell	6.3g	0.18g
	191-286	CRYSTA-APEX S162012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-286-01	CRYSTA-APEX S162012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-286-01EU	CRYSTA-APEX S162012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-286-10	CRYSTA-APEX S162012	lithium-metal cell	6.3g	0.18g
	191-286-10EU	CRYSTA-APEX S162012	lithium-metal cell	6.3g	0.18g
	191-286-11	CRYSTA-APEX S162012	lithium-metal cell	6.3g	0.18g
	191-286-11EU	CRYSTA-APEX S162012	lithium-metal cell	6.3g	0.18g
	191-286-12	CRYSTA-APEX S162012	lithium-metal cell	6.3g	0.18g
	191-286-13	CRYSTA-APEX S162012	lithium-metal cell	6.3g	0.18g
	191-286EU	CRYSTA-APEX S162012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-286H	CRYSTA-APEX S162016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-286H-01	CRYSTA-APEX S162016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-286H-01EU	CRYSTA-APEX S162016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
CNC COORDINATE MEASURING MACHINE	191-286H-10	CRYSTA-APEX S162016	lithium-metal cell	6.3g	0.18g
	191-286H-10EU	CRYSTA-APEX S162016	lithium-metal cell	6.3g	0.18g
	191-286H-11	CRYSTA-APEX S162016	lithium-metal cell	6.3g	0.18g
	191-286H-11EU	CRYSTA-APEX S162016	lithium-metal cell	6.3g	0.18g
	191-286H-12	CRYSTA-APEX S162016	lithium-metal cell	6.3g	0.18g
	191-286H-13	CRYSTA-APEX S162016	lithium-metal cell	6.3g	0.18g
	191-286HEU	CRYSTA-APEX S162016	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-291	CRYSTA-APEX S9106	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-291-10	CRYSTA-APEX S9106	lithium-metal cell	6.3g	0.18g
	191-291H	CRYSTA-APEX S9108	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-291H-10	CRYSTA-APEX S9108	lithium-metal cell	6.3g	0.18g
	191-292	CRYSTA-APEX S9106	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-292-01	CRYSTA-APEX S9106	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-292-10	CRYSTA-APEX S9106	lithium-metal cell	6.3g	0.18g
	191-292-11	CRYSTA-APEX S9106	lithium-metal cell	6.3g	0.18g
	191-292-12	CRYSTA-APEX S9106	lithium-metal cell	6.3g	0.18g
	191-292-13	CRYSTA-APEX S9106	lithium-metal cell	6.3g	0.18g
	191-292H	CRYSTA-APEX S9108	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-292H-01	CRYSTA-APEX S9108	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-292H-10	CRYSTA-APEX S9108	lithium-metal cell	6.3g	0.18g
	191-292H-11	CRYSTA-APEX S9108	lithium-metal cell	6.3g	0.18g
	191-292H-12	CRYSTA-APEX S9108	lithium-metal cell	6.3g	0.18g
	191-292H-13	CRYSTA-APEX S9108	lithium-metal cell	6.3g	0.18g
	191-293	CRYSTA-APEX S9166	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-293-10	CRYSTA-APEX S9166	lithium-metal cell	6.3g	0.18g
	191-293H	CRYSTA-APEX S9168	lithium-metal cell	6.3 g (CR2450/BK)	0.18 g (CR2450/BK)
	191-293H	CRYSTA-APEX S9168	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-293H-10	CRYSTA-APEX S9168	lithium-metal cell	6.3g	0.18g
	191-294	CRYSTA-APEX S9166	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-294-01	CRYSTA-APEX S9166	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-294-10	CRYSTA-APEX S9166	lithium-metal cell	6.3g	0.18g
	191-294-11	CRYSTA-APEX S9166	lithium-metal cell	6.3g	0.18g
	191-294-12	CRYSTA-APEX S9166	lithium-metal cell	6.3g	0.18g
	191-294-13	CRYSTA-APEX S9166	lithium-metal cell	6.3g	0.18g
	191-294H	CRYSTA-APEX S9168	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-294H-01	CRYSTA-APEX S9168	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-294H-10	CRYSTA-APEX S9168	lithium-metal cell	6.3g	0.18g
	191-294H-11	CRYSTA-APEX S9168	lithium-metal cell	6.3g	0.18g
	191-294H-12	CRYSTA-APEX S9168	lithium-metal cell	6.3g	0.18g
	191-294H-13	CRYSTA-APEX S9168	lithium-metal cell	6.3g	0.18g
	191-295	CRYSTA-APEX S9206	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-295-10	CRYSTA-APEX S9206	lithium-metal cell	6.3g	0.18g
	191-295H	CRYSTA-APEX S9208	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-295H-10	CRYSTA-APEX S9208	lithium-metal cell	6.3g	0.18g
	191-296	CRYSTA-APEX S9206	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-296-01	CRYSTA-APEX S9206	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-296-10	CRYSTA-APEX S9206	lithium-metal cell	6.3g	0.18g
	191-296-11	CRYSTA-APEX S9206	lithium-metal cell	6.3g	0.18g
	191-296-12	CRYSTA-APEX S9206	lithium-metal cell	6.3g	0.18g
	191-296-13	CRYSTA-APEX S9206	lithium-metal cell	6.3g	0.18g
	191-296H	CRYSTA-APEX S9208	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-296H-01	CRYSTA-APEX S9208	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-296H-10	CRYSTA-APEX S9208	lithium-metal cell	6.3g	0.18g
	191-296H-11	CRYSTA-APEX S9208	lithium-metal cell	6.3g	0.18g
191-296H-12	CRYSTA-APEX S9208	lithium-metal cell	6.3g	0.18g	
191-296H-13	CRYSTA-APEX S9208	lithium-metal cell	6.3g	0.18g	
191-365H	CRYSTA-APEX S203016	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	
191-365H-10	CRYSTA-APEX S203016	lithium-metal cell	6.3g	0.18g	
191-366H	CRYSTA-APEX S203016	lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
CNC COORDINATE MEASURING MACHINE	191-366H-01	CRYSTA-APEX S203016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-366H-01EU	CRYSTA-APEX S203016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-366H-10	CRYSTA-APEX S203016	lithium-metal cell	6.3g	0.18g
	191-366H-10EU	CRYSTA-APEX S203016	lithium-metal cell	6.3g	0.18g
	191-366H-11	CRYSTA-APEX S203016	lithium-metal cell	6.3g	0.18g
	191-366H-11EU	CRYSTA-APEX S203016	lithium-metal cell	6.3g	0.18g
	191-366H-12	CRYSTA-APEX S203016	lithium-metal cell	6.3g	0.18g
	191-366H-13	CRYSTA-APEX S203016	lithium-metal cell	6.3g	0.18g
	191-366HEU	CRYSTA-APEX S203016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-375H	CRYSTA-APEX S204016	lithium-metal cell	6.9 g (CR2450)	0.18 g (CR2450)
			lithium-metal cell	6.3 g (CR2450/BK)	0.18 g (CR2450/BK)
	191-375H-10	CRYSTA-APEX S204016	lithium-metal cell	6.3g	0.18g
	191-376H	CRYSTA-APEX S204016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-376H-01	CRYSTA-APEX S204016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-376H-01EU	CRYSTA-APEX S204016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-376H-10	CRYSTA-APEX S204016	lithium-metal cell	6.3g	0.18g
	191-376H-10EU	CRYSTA-APEX S204016	lithium-metal cell	6.3g	0.18g
	191-376H-11	CRYSTA-APEX S204016	lithium-metal cell	6.3g	0.18g
	191-376H-11EU	CRYSTA-APEX S204016	lithium-metal cell	6.3g	0.18g
	191-376H-12	CRYSTA-APEX S204016	lithium-metal cell	6.3g	0.18g
	191-376H-13	CRYSTA-APEX S204016	lithium-metal cell	6.3g	0.18g
	191-376HEU	CRYSTA-APEX S204016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-391	CRYSTA-APEX S121210	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-391-10	CRYSTA-APEX S121210	lithium-metal cell	6.3g	0.18g
	191-392	CRYSTA-APEX S121210	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-392-01	CRYSTA-APEX S121210	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-392-10	CRYSTA-APEX S121210	lithium-metal cell	6.3g	0.18g
	191-392-11	CRYSTA-APEX S121210	lithium-metal cell	6.3g	0.18g
	191-392-12	CRYSTA-APEX S121210	lithium-metal cell	6.3g	0.18g
	191-392-13	CRYSTA-APEX S121210	lithium-metal cell	6.3g	0.18g
	191-393	CRYSTA-APEX S122010	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-393-10	CRYSTA-APEX S122010	lithium-metal cell	6.3g	0.18g
	191-394	CRYSTA-APEX S122010	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-394-01	CRYSTA-APEX S122010	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-394-10	CRYSTA-APEX S122010	lithium-metal cell	6.3g	0.18g
	191-394-11	CRYSTA-APEX S122010	lithium-metal cell	6.3g	0.18g
	191-394-12	CRYSTA-APEX S122010	lithium-metal cell	6.3g	0.18g
	191-394-13	CRYSTA-APEX S122010	lithium-metal cell	6.3g	0.18g
	191-395	CRYSTA-APEX S123010	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-395-10	CRYSTA-APEX S123010	lithium-metal cell	6.3g	0.18g
	191-396	CRYSTA-APEX S123010	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-396-01	CRYSTA-APEX S123010	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	191-396-10	CRYSTA-APEX S123010	lithium-metal cell	6.3g	0.18g
	191-396-11	CRYSTA-APEX S123010	lithium-metal cell	6.3g	0.18g
	191-396-12	CRYSTA-APEX S123010	lithium-metal cell	6.3g	0.18g
	191-396-13	CRYSTA-APEX S123010	lithium-metal cell	6.3g	0.18g
	191-000G-R1	CRT-A S500/MRT320-2	lithium-metal cell	6.3g	0.18g
	191-000H-R5	CRT-A S776/MRT320-2	lithium-metal cell	6.3g	0.18g
	191-000H-R6	CRT-A S7106/MRT320-2	lithium-metal cell	6.3g	0.18g
	191-000J-R5	CRT-A S9106/MRT320-2	lithium-metal cell	6.3g	0.18g
	191-000J-R6	CRT-A S9166/MRT320-2	lithium-metal cell	6.3g	0.18g
	191-000K-R10	CRT-A S120000/RT	lithium-metal cell	6.3g	0.18g
	191-000K-R7	CRT-A S121210/MRT320	lithium-metal cell	6.3g	0.18g
	191-000K-R8	CRT-A S122010/MRT320	lithium-metal cell	6.3g	0.18g
	191-000K-R9	CRT-A S123010/MRT320	lithium-metal cell	6.3g	0.18g
	355-000H-R3	STRATO-APEX776/MRT32	lithium-metal cell	6.3g	0.18g
	355-000H-R4	STRATO-APEX7106/MRT3	lithium-metal cell	6.3g	0.18g
	355-000H-R7	STR-A776/MRT320-2	lithium-metal cell	6.3g	0.18g
	355-000H-R8	STR-A7106/MRT320-2	lithium-metal cell	6.3g	0.18g
	355-000K-R3	STRATO-APEX9106/MRT3	lithium-metal cell	6.3g	0.18g
	355-000K-R4	STRATO-APEX9166/MRT3	lithium-metal cell	6.3g	0.18g
	355-000K-R7	STR-A9106/MRT320-2	lithium-metal cell	6.3g	0.18g
	355-000K-R8	STR-A9166/MRT320-2	lithium-metal cell	6.3g	0.18g

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
CNC COORDINATE MEASURING MACHINE	355-501	STRATO-APEX776	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-501-10	STRATO-APEX 776	lithium-metal cell	6.3g	0.18g
	355-502	STRATO-APEX776	lithium-metal cell	6.3 g (CR2450/BK)	0.18 g (CR2450/BK)
	355-502	STRATO-APEX776	lithium-metal cell	6.9 g (CR2450) or	0.18 g (CR2450) or
	355-502-10	STRATO-APEX 776	lithium-metal cell	6.3g	0.18g
	355-502-12	STRATO-APEX776	lithium-metal cell	6.3g	0.18g
	355-503	STRATO-APEX776	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-506	STRATO-APEX7106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-506-10	STRATO-APEX 7106	lithium-metal cell	6.3g	0.18g
	355-507	STRATO-APEX7106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-507-10	STRATO-APEX 7106	lithium-metal cell	6.3g	0.18g
	355-507-12	STRATO-APEX7106	lithium-metal cell	6.3g	0.18g
	355-508	STRATO-APEX7106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-511	STRATO-APEX9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-511-10	STRATO-APEX 9106	lithium-metal cell	6.3g	0.18g
	355-512	STRATO-APEX9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-512-10	STRATO-APEX 9106	lithium-metal cell	6.3g	0.18g
	355-512-12	STRATO-APEX9106	lithium-metal cell	6.3g	0.18g
	355-513	STRATO-APEX9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-516	STRATO-APEX9166	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-516-10	STRATO-APEX 9166	lithium-metal cell	6.3g	0.18g
	355-517	STRATO-APEX9166	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-517-10	STRATO-APEX 9166	lithium-metal cell	6.3g	0.18g
	355-517-12	STRATO-APEX9166	lithium-metal cell	6.3g	0.18g
	355-518	STRATO-APEX9166	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-521	STRATO-APEX574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-521-10	STRATO-APEX 574	lithium-metal cell	6.3g	0.18g
	355-522	STRATO-APEX574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-522-01	STRATO-APEX574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-522-10	STRATO-APEX 574	lithium-metal cell	6.3g	0.18g
	355-522-11	STRATO-APEX 574	lithium-metal cell	6.3g	0.18g
	355-522-12	STRATO-APEX574	lithium-metal cell	6.3g	0.18g
	355-522-13	STRATO-APEX574	lithium-metal cell	6.3g	0.18g
	355-531	STRATO-APEX162012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-531-10	STRATO-APEX 162012	lithium-metal cell	6.3g	0.18g
	355-532	STRATO-APEX162012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-532-10	STRATO-APEX 162012	lithium-metal cell	6.3g	0.18g
	355-532-12	STRATO-APEX162012	lithium-metal cell	6.3g	0.18g
	355-533	STRATO-APEX162016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-533-10	STRATO-APEX 162016	lithium-metal cell	6.3g	0.18g
	355-534	STRATO-APEX162016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-534-10	STRATO-APEX 162016	lithium-metal cell	6.3g	0.18g
	355-534-12	STRATO-APEX162016	lithium-metal cell	6.3g	0.18g
	355-535	STRATO-APEX163012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-535-10	STRATO-APEX 163012	lithium-metal cell	6.3g	0.18g
	355-536	STRATO-APEX163012	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-536-10	STRATO-APEX 163012	lithium-metal cell	6.3g	0.18g
	355-536-12	STRATO-APEX163012	lithium-metal cell	6.3g	0.18g
	355-537	STRATO-APEX163016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-537-10	STRATO-APEX 163016	lithium-metal cell	6.3g	0.18g
	355-538	STRATO-APEX163016	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	355-538-10	STRATO-APEX 163016	lithium-metal cell	6.3g	0.18g
	355-538-12	STRATO-APEX163016	lithium-metal cell	6.3g	0.18g
356-401	LEGEX574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	
356-401-10	LEGEX574	lithium-metal cell	6.3g	0.18g	
356-402	LEGEX574(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	
CNC COORDINATE MEASURING MACHINE	356-402-10	LEGEX574(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-403	LEGEX574	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-403-10	LEGEX574	lithium-metal cell	6.3g	0.18g
	356-403-12	LEGEX574	lithium-metal cell	6.3g	0.18g
	356-404	LEGEX574(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-404-10	LEGEX574(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-404-12	LEGEX574(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-411	LEGEX774	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-411-10	LEGEX774	lithium-metal cell	6.3g	0.18g
	356-412	LEGEX774(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-412-10	LEGEX774(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-413	LEGEX774	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-413-10	LEGEX774	lithium-metal cell	6.3g	0.18g

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
	356-413-12	LEGEX774	lithium-metal cell	6.3g	0.18g
	356-414	LEGEX774(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-414-10	LEGEX774(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-414-12	LEGEX774(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-421	LEGEX776	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-421-10	LEGEX776	lithium-metal cell	6.3g	0.18g
	356-422	LEGEX776(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-422-10	LEGEX776(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-423	LEGEX776	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-423-10	LEGEX776	lithium-metal cell	6.3g	0.18g
	356-423-12	LEGEX776	lithium-metal cell	6.3g	0.18g
	356-424	LEGEX776(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-424-10	LEGEX776(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-424-12	LEGEX776(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-431	LEGEX9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-431-10	LEGEX9106	lithium-metal cell	6.3g	0.18g
	356-432	LEGEX9106(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-432-10	LEGEX9106(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-433	LEGEX9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-433-10	LEGEX9106	lithium-metal cell	6.3g	0.18g
	356-433-12	LEGEX9106	lithium-metal cell	6.3g	0.18g
	356-434	LEGEX9106(COATING TABLE)	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	356-434-10	LEGEX9106(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	356-434-12	LEGEX9106(COATING TABLE)	lithium-metal cell	6.3g	0.18g
	357-161-10	KGB888-B	lithium-metal cell	6.9g	0.18g
	357-162-10	KGB888-B	lithium-metal cell	6.9g	0.18g
	357-162-12	KGB888-B	lithium-metal cell	6.9g	0.18g
	357-163-10	KGB888-B	lithium-metal cell	6.9g	0.18g
	357-163-12	KGB888-B	lithium-metal cell	6.9g	0.18g
	357-164-10	KGB12128-B	lithium-metal cell	6.9g	0.18g
	357-165-10	KGB12128-B	lithium-metal cell	6.9g	0.18g
	357-165-12	KGB12128-B	lithium-metal cell	6.9g	0.18g
	357-166-10	KGB12128-B	lithium-metal cell	6.9g	0.18g
	357-166-12	KGB12128-B	lithium-metal cell	6.9g	0.18g
	357-301	MISTAR 555	lithium-metal cell	6.3 g	0.18 g
	357-302	MISTAR 555	lithium-metal cell	6.3 g	0.18 g
	357-304	MISTAR 555	lithium-metal cell	6.3 g	0.18 g
	357-305	MISTAR 555	lithium-metal cell	6.3 g	0.18 g
	357-306	MISTAR 555	lithium-metal cell	6.3 g	0.18 g
	360-223	MACH-V9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	360-223-10	MACH-V9106	lithium-metal cell	6.3g	0.18g
	360-224	MACH-V9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	360-224-10	MACH-V9106	lithium-metal cell	6.3g	0.18g
	360-224-10EU	MACH-V9106	lithium-metal cell	6.3g	0.18g
	360-224-12	MACH-V9106	lithium-metal cell	6.3g	0.18g
	360-224EU	MACH-V9106	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	360-414	MACH-3A 653	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)
	360-414-10	MACH-3A 653	lithium-metal cell	6.3g	0.18g

※
※

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
CNC COORDINATE MEASURING MACHINE	360-415	MACH-3A 653	lithium-metal cell lithium-metal cell	6.9 g (CR2450) or 6.3 g (CR2450/BK)	0.18 g (CR2450) or 0.18 g (CR2450/BK)	
	360-415-10	MACH-3A 653	lithium-metal cell	6.3g	0.18g	
	360-415-12	MACH-V3A 653	lithium-metal cell	6.3g	0.18g	
	06AFV087	DELL LATITUDE 5480	lithium-metal cell lithium-metal cell	3.2g(CR2032) or 2.9g(CR2032) or 10.5g(CR2477)	0.3g(CR2032) or 0.3g(CR2032) or 0.29g(CR2477)	
	06AFV097	PC XE2(W10)	lithium-metal cell lithium-metal cell	3.2g(CR2032) or 2.9g(CR2032)	0.3g(CR2032) or 0.3g(CR2032)	
	06AFV099	PC XE2(W10) MAIN UNIT ONLY	lithium-metal cell lithium-metal cell	3.2g(CR2032) or 2.9g(CR2032)	0.3g(CR2032) or 0.3g(CR2032)	
	06AGD735	PC XE3(W10)	lithium-metal cell lithium-metal cell lithium-metal cell	3.2 g (CR2032) or 5 g (CR2032 (K)) or 3.2 g (CR2032)	0.3 g (CR2032) or 0.3 g (CR2032 (K)) or 0.072 g (CR2032)	
	06AGD737	PC XE3(W10) MAIN UNIT ONLY	lithium-metal cell lithium-metal cell lithium-metal cell	3.2 g (CR2032) or 5 g (CR2032 (K)) or 3.2 g (CR2032)	0.3 g (CR2032) or 0.3 g (CR2032 (K)) or 0.072 g (CR2032)	
	06AFV105	PC T5810XL(W10)	lithium-metal cell lithium-metal cell	3.2g(CR2032) or 2.9g(CR2032)	0.3g(CR2032) or 0.3g(CR2032)	
	06AFV106	PC T5810XL(W10) 2 MONITOR	lithium-metal cell lithium-metal cell	3.2g(CR2032) or 2.9g(CR2032)	0.3g(CR2032) or 0.3g(CR2032)	
	06AFV107	PC T5810XL(W10) MAIN UNIT ONLY	lithium-metal cell lithium-metal cell	3.2g(CR2032) or 2.9g(CR2032)	0.3g(CR2032) or 0.3g(CR2032)	
	02AUV224	PRECISION7520WIN7	lithium-metal cell lithium-ion batteries	2.9g 400g	0.3g 72g	
	02AUV225	PRECISION3520WIN7	lithium-metal cell lithium-ion batteries	2.9g 450g	0.3g 68g	
	02AUV226	PRECISION7520WIN10	lithium-metal cell lithium-ion batteries	2.9g 400g	0.3g 72g	
	02AUV227	PRECISION3520WIN10	lithium-metal cell lithium-ion batteries	2.9g 450g	0.3g 68g	
	06ACN989	QMD300-10	lithium-metal cell	10.0 g	0.28 g	
	06ADA524	PC SYSTEM 2 FOR METRIS ANALYSIS	lithium-metal cell	3.0g	0.06g	
	OTHER COORDINATE MEASURING MACHINE	06ADD532	MTM DONGLE CMM	lithium-metal cell	1.2 g	less than 1.0 g
		06ADZ227	OPTIPLEX 780 MT	lithium-metal cell	3.0 g	0.062 g
		06ADZ280	PRECISION T3500MT	lithium-metal cell	3.0 g	0.062 g
06AEA641		MAIN BOARD FOR UC400 (W/O CUSTOM DATA)	lithium-metal cell	6.9 g	0.18 g	
06AED782		PRECISIONT3500 MT/7	lithium-metal cell	3.0 g	0.062 g	
06AEP373		MAIN400-A BOARD ASSY	lithium-metal cell	6.9 g	0.18 g	
06AEQ873		PRECISION T3600 XL	lithium-metal cell	3.0 g	0.062 g	
06AEQ874		PRECISION T3600 XL64	lithium-metal cell	3.0 g	0.062 g	
06AEQ875		OPTIPLEX 9010 XL	lithium-metal cell	3.0 g	0.062 g	
06AEZ550		OPTIPLEX XE2	lithium-metal cell	3.0 g	0.062 g	
06AFAS29		PRECISION T3600XL(2 MONITOR)	lithium-metal cell	3.0 g	0.062 g	
06AFAS3		PRECISION T3600XL64(2 MONITOR)	lithium-metal cell	3.0 g	0.062 g	
06AFAS30		PRECISION T3600XL64(2 MONITOR)	lithium-metal cell	3.0g	0.06g	
06AFH060		PRECISION T5810XL32	lithium-metal cell	3.0 g	0.096 g	
06AFH064		PRECISION T5810XL64	lithium-metal cell	3.0 g	0.096 g	
06AFH136		CMM TOOLDONGLE/S	lithium-metal cell	1.2 g	less than 1.0 g	
			lithium-metal cell	1.2 g	less than 1.0 g	
06AFH137		CMM TOOLDONGLE/F	lithium-metal cell	1.2 g	less than 1.0 g	
			lithium-metal cell	1.2 g	less than 1.0 g	
06AFH138		CMM TOOLKIT4 SET S	lithium-metal cell	1.2 g	less than 1.0 g	
06AFH295		MAIN400-2	lithium-metal cell	6.3 g	0.18 g	
06AFH462		CMM TOOLKIT4 SET F	lithium-metal cell	1.2 g	less than 1.0 g	
06AFH463		PRECISION T5810XL32(2 MONITOR)	lithium-metal cell	3.0 g	0.096 g	
06AFH464		PRECISION T5810XL64(2 MONITOR)	lithium-metal cell	3.0 g	0.096 g	
06AFJ107		CMM ToolDongle/M	lithium-metal cell	1.2 g	less than 1.0 g	
06AFJ108		CMM ToolDongle/I	lithium-metal cell	1.2 g	less than 1.0 g	
06AFJ113		MAINTENANCE UC400/G6-2	lithium-metal cell	6.3 g	0.18 g	
06AFJ114		MAINTENANCE UC400/H6-2	lithium-metal cell	6.3 g	0.18 g	
06AFK392		VCON-WL100 ASET	lithium-metal cell lithium-ion batteries	1.2 g 325.0 g	less than 1.0 g 62.0 Wh	
06AFK957		MAINTENANCE UC400-2	lithium-metal cell	6.3 g	0.18 g	
06AFK958		MAINTENANCE UC400/C1-2	lithium-metal cell	6.3 g	0.18 g	
06AFK959		MAINTENANCE UC400/C1-2 WITH RACK	lithium-metal cell	6.3 g	0.18 g	
06AFK960		MAINTENANCE UC440/F5-2	lithium-metal cell	6.3 g	0.18 g	
06AFK961		MAINTENANCE UC440/F5-2 WITH RACK	lithium-metal cell	6.3 g	0.18 g	
06AFK962		MAINTENANCE UC442/A1-2	lithium-metal cell	6.3 g	0.18 g	
06AFK963		MAINTENANCE UC442/A1-2 WITH RACK	lithium-metal cell	6.3 g	0.18 g	
06AFK964		MAINTENANCE UC442/C4-2	lithium-metal cell	6.3 g	0.18 g	
06AFK965		MAINTENANCE UC442/C4-2 WITH RACK	lithium-metal cell	6.3 g	0.18 g	
06AFK966		MAINTENANCE UC441/D2-2	lithium-metal cell	6.3 g	0.18 g	
06AFK967		MAINTENANCE UC441/D2-2 WITH RACK	lithium-metal cell	6.3 g	0.18 g	
06AFK968		MAINTENANCE UC460/E32-2 WITH RACK	lithium-metal cell	6.3 g	0.18 g	
06AFK969		MAINTENANCE UC460/E62-2 WITH RACK	lithium-metal cell	6.3 g	0.18 g	
06AFM318		MAINTENANCE UC400/A1-2	lithium-metal cell	6.3 g	0.18 g	
06AFM341		MAINTENANCE UC400/B1-2	lithium-metal cell	6.3 g	0.18 g	
06AFM757		DELL LATITUDE E5470	lithium-metal cell lithium-ion batteries	1.2 g 325.0 g	less than 1.0 g 62.0 Wh	
06AFR316		CMM TOOLKIT V4.1 STARTER SET /S	lithium-metal cell	1.2g	less than 1g	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
OTHER COORDINATE MEASURING MACHIN	06AFR317	CMM TOOLKIT V4.1 STARTER SET /F	lithium-metal cell	1.2g	less than 1g	
	06AFR712	MAINTENANCE UC400VA/G6 1-2S	lithium-metal cell	6.3 g	0.18 g	
	06AFR727	MAINTENANCE UC400M/J6 1-2S	lithium-metal cell	6.3 g	0.18 g	
	06AFR846	T5810XL64 (MAIN UNIT ONLY)	lithium-metal cell	3.2g(CR2032) or 2.9g(CR2032)	0.30g(CR2032) or 0.30g(CR2032)	
	06AFS350	OPTIPLEX XE2 (MAIN UNIT ONLY)	lithium-metal cell	2.9g(CR2032) or 3.2g(CR2032)	0.30g(CR2032) or 0.30g(CR2032)	
	320-185-1	MPK700	lithium-metal cell	3.0 g	0.062 g	
	320-207-1	MPK2700	lithium-metal cell	3.0 g	0.062 g	
	195-724	SPACETRAC-AP 50M SYSTEM	lithium-ion batteries	368 g	97.92Wh	
	195-725	SPACETRAC-AP 80M SYSTEM	lithium-ion batteries	368 g	97.92Wh	
	195-726	SPACETRAC-A 50M SYSTEM	lithium-ion batteries	368 g	97.92Wh	
	BALANCING MACHINE	06ADH518	ABM-102	lithium-metal cell	9.0 g	0.26 g
	852-108	DEP-J2/BALANCE KEEPER	lithium-metal cell	9.0 g	0.26 g	
PC FOR ROUNDTST	02ASL960	PERSONAL COMPUTER	lithium-metal cell lithium-ion batteries	3.0 g 345.0 g	0.062 g 65.0 Wh	
PC FOR CONTOUR MEASURING INSTRUME	12AAG201	PC SET	lithium-metal cell	3.2 g or less	0.3 g or less	
	12AAM627	PC SET	lithium-metal cell	3.2 g or less	0.3 g or less	
	12AAV592	PC Assy	lithium-metal cell	3.2 g (CR2032) or 2.9 g (CR2032)	0.3 g (CR2032) or 0.3 g (CR2032)	
PROFILE PROJECTOR	12AAJ228	MAIN CIRCUIT 200	lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	
	12AAN135	MAIN PCB (200)	lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	
	303-981-1	PJ-H3005FT1-100 MM/E	lithium-metal cell	9.0 g	0.26 g	
	303-982-1	PJ-H3005FT2-100 MM/E	lithium-metal cell	9.0 g	0.26 g	
	303-984-1	PJ-H3010FT1-200 MM/E	lithium-metal cell	9.0 g	0.26 g	
	303-985-1	PJ-H3010FT2-200 MM/E	lithium-metal cell	9.0 g	0.26 g	
	303-987-1	PJ-H3010FT1-300 MM/E	lithium-metal cell	9.0 g	0.26 g	
	303-988-1	PJ-H3010FT2-300 MM/E	lithium-metal cell	9.0 g	0.26 g	
	OTHER FORM MEASURING INSTRUMENTS	12AAH564	FORM TOOLKIT	lithium-metal cell	1.2 g	less than 1.0 g
12AAH647		FORM TOOLKIT DONGLE	lithium-metal cell	1.2 g	less than 1.0 g	
12AAG512		TOOLKIT (FORM PRODUCTS)	lithium-metal cell	1.2 g	less than 1.0 g	
12AAG855		COPY PROTECTION KEY	lithium-metal cell	1.2 g	less than 1.0 g	
12AAT712		PC SET	lithium-metal cell	3.2 g or less	0.3 g	
			lithium-ion batteries	325.0 g	62.0 Wh	
12AAT726		PC SET	lithium-metal cell	3.2 g or less	0.3 g	
12AAT772		PC FOR MANUAL VISION SYSTEM	lithium-metal cell	3.2 g or less	0.3 g	
12AAT829		PC SET	lithium-metal cell	3.2 g or less	0.3 g	
SURFTEST		12BAD673	POS600(JAPANESE) FLYTECH	lithium-metal cell	3.0 g	0.07 g
		12BAD674	POS600(ENGLISH) FLYTECH	lithium-metal cell	3.0 g	0.07 g
	12AAV591	PC Assy with GPIB BOARD	lithium-metal cell	3.2 g (CR2032) or 2.9 g (CR2032)	0.3 g (CR2032) or 0.3 g (CR2032)	
	178-107	TCON (DATA PROCESSING ANALYSIS UNIT), 100VAC	lithium-metal cell	3.0 g	0.07 g	
	178-107A	TCON (DATA PROCESSING ANALYSIS UNIT), 120VAC	lithium-metal cell	3.0 g	0.07 g	
	178-107AR	TCON, 120VAC (ROYALTY SYSTEM)	lithium-metal cell	3.0 g	0.07 g	
	178-107C	TCON (DATA PROCESSING ANALYSIS UNIT), 110VAC	lithium-metal cell	3.0 g	0.07 g	
	178-107CR	TCON, 110VAC (ROYALTY SYSTEM)	lithium-metal cell	3.0 g	0.07 g	
	178-107D	TCON (DATA PROCESSING ANALYSIS UNIT), 220/230V	lithium-metal cell	3.0 g	0.07 g	
	178-107DR	TCON, 220/230VAC (ROYALTY SYSTEM)	lithium-metal cell	3.0 g	0.07 g	
	178-107E	TCON (DATA PROCESSING ANALYSIS UNIT), 240VAC	lithium-metal cell	3.0 g	0.07 g	
	178-107ER	TCON, 240VAC (ROYALTY SYSTEM)	lithium-metal cell	3.0 g	0.07 g	
	178-108	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108A	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108AR	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108C	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108CR	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108D	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108DR	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108E	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-108ER	TCON (DATA PROCESSING ANALYSIS UNIT)	lithium-metal cell	3.0 g	0.07 g	
	178-530-01	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-01A	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-01C	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-01D	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-01DC	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-01E	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-01K	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-02	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-02A	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-02C	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-02D	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-02DC	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-02E	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-530-02K	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-531-01A	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-531-01D	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-531-01DC	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-531-01E	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-531-02A	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	
	178-531-02D	SURFTEST SJ-500P	lithium-metal cell	13.5 g	0.4 g	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion		
SURFTEST	178-680-02E	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-680-02K	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-01A	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-01D	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-01DC	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-01E	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-02A	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-02D	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-02DC	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-681-02E	SURFTEST SV-2100S4	lithium-metal cell	13.5 g	0.4 g		
	178-682-01	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-01A	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-01C	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-01D	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-01DC	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-01E	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-01K	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-02	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-02A	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-02C	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-02D	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-02DC	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-02E	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-682-02K	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-01A	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-01D	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-01DC	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-01E	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-02A	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-02D	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-02DC	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-683-02E	SURFTEST SV-2100H4	lithium-metal cell	13.5 g	0.4 g		
	178-684-01	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-01A	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-01C	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-01D	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-01DC	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-01E	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-01K	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-02	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-02A	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-02C	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-02D	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-02DC	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-02E	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-684-02K	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-01A	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-01D	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-01DC	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-01E	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-02A	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-02D	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-02DC	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	178-685-02E	SURFTEST SV-2100W4	lithium-metal cell	13.5 g	0.4 g		
	ROUNDTST	12AAB237	MAIN CPU BOARD FOR RA114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
		12AAB238	MAIN CPU BOARD/RA116	lithium-ion cell	4.0 g	0.18 g	※
12AAC185		CPU BOARD ASSY FOR RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
12AAC946		CPU CIRCUIT BOARD ASSY	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
12AAC947		CPU BOARD ASSY	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
12AAC973		MAIN CPU BOARD	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
12AAH520		LOWER COVER MM	lithium-metal cell	13.5 g	0.4 g		
12AAH809		CIRCUIT BOARD / POWER SUPPLY ASSEMBLY MM	lithium-metal cell	13.5 g	0.4 g		
12AAJ308		LOWER COVER INCH/MM	lithium-metal cell	13.5 g	0.4 g		
12AAJ309		CIRCUIT BOARD / POWER SUPPLY ASSEMBLY INCH	lithium-metal cell	13.5 g	0.4 g		
12AAJ320		MAIN CIRCUIT BOARED (MM/INCH SPECIFICATION)	lithium-metal cell	10.0 g	0.28 g		
12AAJ321		MAIN CIRCUIT BOARED (MM SPECIFICATION)	lithium-metal cell	10.0 g	0.28 g		
12AAJ466		PC I/F UNIT	lithium-metal cell	13.5 g	0.4 g		
12AAJ661		PC SET	lithium-metal cell lithium-ion batteries lithium-ion batteries	3.0 g 240.0 g 348.0 g	0.07 g 40.0 Wh 65.0 Wh	※	
12AAK764		MAIN BOARD ASSY(MM)	lithium-metal cell	13.5 g	0.4 g		
12AAK765		MAIN BOARD ASSY(INCH/MM)	lithium-metal cell	13.5 g	0.4 g		
12AAK801		MAIN BOARD ASSY	lithium-metal cell	13.5 g	0.4 g		
12AAL015		PC SET FOR VISION PROBE	lithium-metal cell	3.2 g or less	0.3 g or less	※	
211-541		RA-10	lithium-metal cell	6.3 g	0.18 g		

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
ROUNDTST	211-541A	RA-10	lithium-metal cell	6.3 g	0.18 g
	211-541C	RA-10	lithium-metal cell	6.3 g	0.18 g
	211-541D	RA-10	lithium-metal cell	6.3 g	0.18 g
	211-541DC	RA-10	lithium-metal cell	6.3 g	0.18 g
	211-541E	RA-10	lithium-metal cell	6.3 g	0.18 g
	211-541K	RA-10	lithium-metal cell	6.3 g	0.18 g
	211-542	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-542A	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-542C	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-542D	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-542DC	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-542E	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-542K	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-543A	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-543C	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-543D	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-543DC	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-543E	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-544A	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-544C	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-544D	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-544DC	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-544E	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-544K	RA-120	lithium-metal cell	6.3 g	0.18 g
	211-545	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-545A	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-545C	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-545D	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-545DC	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-545E	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-545K	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-546A	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-546C	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-546D	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-546DC	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-546E	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-547A	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-547C	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-547D	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-547DC	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-547E	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-547K	RA-120P	lithium-metal cell	6.3 g	0.18 g
	211-601	RA-10/DOMESTIC	lithium-metal cell	10.0 g	0.28 g
	211-601A	RA-10	lithium-metal cell	10.0 g	0.28 g
	211-601C	RA-10	lithium-metal cell	10.0 g	0.28 g
	211-601D	RA-10	lithium-metal cell	10.0 g	0.28 g
	211-601DC	RA-10	lithium-metal cell	10.0 g	0.28 g
	211-601E	RA-10	lithium-metal cell	10.0 g	0.28 g
	211-601K	RA-10	lithium-metal cell	10.0 g	0.28 g
	211-621A	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-621C	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-621D	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-621DC	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-621E	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-621K	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-622	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-622A	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-622C	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-622D	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-622DC	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-622E	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-622K	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-623A	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-623D	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-623DC	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-623E	RA-120	lithium-metal cell	10.0 g	0.28 g
	211-625A	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-625C	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-625D	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-625DC	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-625E	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-625K	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-626	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-626A	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-626C	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-626D	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-626DC	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-626E	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-626K	RA-120P	lithium-metal cell	10.0 g	0.28 g
	211-627A	RA-120P	lithium-metal cell	10.0 g	0.28 g

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
ROUNDTST	211-627D	RA-120P	lithium-metal cell	10.0 g	0.28 g	※
	211-627DC	RA-120P	lithium-metal cell	10.0 g	0.28 g	※
	211-627E	RA-120P	lithium-metal cell	10.0 g	0.28 g	※
	211-642	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-642A	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-642C	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-642D	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-642DC	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-642E	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-642K	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-643A	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-643D	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-643DC	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-643E	RA-220	lithium-metal cell	10.0 g	0.28 g	※
	211-701A	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-701C	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-701D	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-701E	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-701K	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-702	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-702C	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-702D	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-702E	RA-114	lithium-metal cell lithium-ion cell	4.0 g (VL2330/1HF) 4.0 g (IVR2430) or	0.5 g (VL2330/1HF) 0.18 g (IVR2430) or	※
	211-702K	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-703A	RA-114(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-703C	RA-114	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-703D	RA-114(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-703DC	RA-114(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-703E	RA-114(MM)	lithium-ion cell	4.0 g (IVR2430) or	0.18 g (IVR2430) or	※
	211-703E	RA-114(MM)	lithium-metal cell	4.0 g (VL2330/1HF)	0.5 g (VL2330/1HF)	※
	211-703K	RA-114(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-704	RA-114D(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-704A	RA-114D(MM)	lithium-metal cell lithium-ion cell	4.0 g (VL2330/1HF) 4.0 g (IVR2430) or	0.5 g (VL2330/1HF) 0.18 g (IVR2430) or	※
	211-704C	RA-114D(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-704D	RA-114D(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-704DC	RA-114D(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-704E	RA-114D(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-704K	RA-114D(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707A	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707AR	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707C	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707CR	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707D	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707DC	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707DCR	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707DR	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707E	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※
	211-707ER	RA-116(MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion		
ROUNDTST	211-717E	RA-116(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-717ER	RA-116(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-717R	RA-116(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718A	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718AR	RA-116D(IN/MM)	lithium-ion cell	4.0 g (IVR2430) or	0.18 g (IVR2430) or	※	
	211-718AR	RA-116D(IN/MM)	lithium-metal cell	4.0 g (VL2330/1HF)	0.5 g (VL2330/1HF)	※	
	211-718D	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718DC	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718DCR	RA-116D(IN/MM)	lithium-metal cell	4.0 g (VL2330/1HF)	0.5 g (VL2330/1HF)	※	
	211-718DR	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718E	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718ER	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	211-718R	RA-116D(IN/MM)	lithium-ion cell lithium-metal cell	4.0 g (IVR2430) or 4.0 g (VL2330/1HF)	0.18 g (IVR2430) or 0.5 g (VL2330/1HF)	※	
	998753	ELECTRONIC-UNIT/114	lithium-metal cell lithium-ion cell	4.0g(VL2330/1HF) or 4.0g(IVR2430)	0.50g(VL2330/1HF) or 0.00g(IVR2430)	※	
	998754	ELECTRONIC-UNIT/116	lithium-ion cell	4.0g	0.00g	※	
	QM-Data200	264-140	QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※
		264-140-00	QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※
		264-140-01	QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※
		264-140A	QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※
264-140C		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-140D		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-140DC		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-140E		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-140K		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141-00		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141-01		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141A		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141C		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141D		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141E		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141-2		QM-DATA200/OPT-200 SET	lithium-metal cell	9.0 g	0.26 g	※	
264-141DC		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-141K		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell	9.0 g	0.26 g	※	
264-144		QM-DATA200/HYPER MF	lithium-metal cell	9.0 g	0.26 g	※	
264-144-00		QM-DATA200/HYPER MF	lithium-metal cell	9.0 g	0.26 g	※	
264-144-01		QM-DATA200/HYPER MF	lithium-metal cell	9.0 g	0.26 g	※	
264-144A		QM-DATA200/HYPER MF	lithium-metal cell	9.0 g	0.26 g	※	
264-144C		QM-DATA200/HYPER MF	lithium-metal cell	9.0 g	0.26 g	※	
264-144D		QM-DATA200/HYPER MF	lithium-metal cell	9.0 g	0.26 g	※	
264-144E		QM-DATA200/HYPER MF	lithium-metal cell	9.0 g	0.26 g	※	
264-145		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-145-00		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-145A		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-145C		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-145D		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-145E		QM-DATA200 (ADJUSTABLE STAND MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-146		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-146-00		QM-DATA200 (ARM MOUNTING TYPE)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
264-146A		QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
QM-Data200		264-146C	QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※
		264-146D	QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※
		264-146E	QM-DATA200 (ARM-MOUNT MODEL)	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion		
QM-Data200	264-149	QM-DATA200/HYPER MF	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
	264-149-00	QM-DATA200/HYPER MF	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
	264-149A	QM-DATA200/HYPER MF	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
	264-149C	QM-DATA200/HYPER MF	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
	264-149D	QM-DATA200/HYPER MF	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
	264-149E	QM-DATA200/HYPER MF	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 10.5 g (CR-2477/HF1K)	0.28 g (CR2477-F2HE7H) or 0.29 g (CR-2477/HF1K)	※	
	264-155	QM-DATA200 STANDTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-155-00	QM-DATA200 STANDTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-155A	QM-DATA200 STANDTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-155C	QM-DATA200 STANDTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-155D	QM-DATA200 STANDTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-155E	QM-DATA200 STANDTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-155K	QM-DATA200 STANDTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-156	QM-DATA200 ARMTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-156-00	QM-DATA200 ARMTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-156A	QM-DATA200 ARMTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-156C	QM-DATA200 ARMTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-156D	QM-DATA200 ARMTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-156E	QM-DATA200 ARMTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-156K	QM-DATA200 ARMTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-159	QM-DATA200 HYPERMFTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-159-00	QM-DATA200 HYPERMFTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-159A	QM-DATA200 HYPERMFTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-159C	QM-DATA200 HYPERMFTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-159D	QM-DATA200 HYPERMFTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-159E	QM-DATA200 HYPERMFTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
	264-159K	QM-DATA200 HYPERMFTYPE	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)	※	
		12AAD334	MAIN PCB FOR QM-DATA200	lithium-metal cell	9.0 g	0.26 g	※
	LINEAR HEIGHTS	12AAA693	CPU BOARD	lithium-metal cell	9.0 g	0.26 g	※
		12AAA694	CPU PCB	lithium-metal cell	9.0 g	0.26 g	※
		12AAA707	DATA PROCESSOR/LH-600B	lithium-metal cell	9.0 g	0.26 g	※
		12AAF656	CPU BOARD ASSY	lithium-metal cell	9.0 g	0.26 g	※
		12AAG921	DATA PROCESSING UNIT QM-DATA100	lithium-metal cell	10.0 g 17.0 g	0.28 g 0.6 g	
		12AAJ227	MAIN CIRCUIT BOARD 100	lithium-metal cell	10.0 g 17.0 g	0.28 g 0.6 g	
12AAN136		MAIN PCB (100)	lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
518-321		LH-600B	lithium-metal cell	9.0 g	0.26 g	※	
518-321-00		LH-600B (W/O AC ADAPTER)	lithium-metal cell	9.0 g	0.26 g	※	
518-321-10		LH-600B	lithium-metal cell	9.0 g	0.26 g	※	
518-321-20		LH-600B, AC100V	lithium-metal cell	9.0 g	0.26 g	※	
518-321A-01		LH-600B, 120V AC (W/MANUAL IN ENGLISH)	lithium-metal cell	9.0 g	0.26 g	※	
518-321A-02		LH-600B, 120V AC (W/MANUAL IN SPANISH)	lithium-metal cell	9.0 g	0.26 g	※	
518-321A-21		LH-600B, AC120V	lithium-metal cell	9.0 g	0.26 g	※	
518-321A-22		LH-600B, AC120V	lithium-metal cell	9.0 g	0.26 g	※	
518-321D-01		LH-600B, 230V AC (W/MANUAL IN ENGLISH)	lithium-metal cell	9.0 g	0.26 g	※	
518-321D-02		LH-600B, 230V AC (W/MANUAL IN SPANISH)	lithium-metal cell	9.0 g	0.26 g	※	
518-321D-03		LH-600B, 230V AC (W/MANUAL IN GERMAN)	lithium-metal cell	9.0 g	0.26 g	※	
518-321D-04		LH-600B, 230V AC (W/MANUAL IN FRENCH)	lithium-metal cell	9.0 g	0.26 g	※	
518-321D-05		LH-600B, 230V AC (W/MANUAL IN ITALIAN)	lithium-metal cell	9.0 g	0.26 g	※	
518-321D-21		LH-600B, AC220V	lithium-metal cell	9.0 g	0.26 g	※	
518-321D-22		LH-600B, AC220V	lithium-metal cell	9.0 g	0.26 g	※	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
LINEAR HEIGHTS	518-321D-23	LH-600B, AC220V	lithium-metal cell	9.0 g	0.26 g	※
	518-321D-24	LH-600B	lithium-metal cell	9.0 g	0.26 g	※
	518-321D-25	LH-600B	lithium-metal cell	9.0 g	0.26 g	※
	518-321D-26	LH-600B, AC220V	lithium-metal cell	9.0 g	0.26 g	※
	518-321E	LH-600B, 240V AC (W/MANUAL IN ENGLISH)	lithium-metal cell	9.0 g	0.26 g	※
	518-321E-21	LH-600B, AC240V	lithium-metal cell	9.0 g	0.26 g	※
	518-322	LH-600B, POWER GRIP, 100V AC (JAPANESE)	lithium-metal cell	9.0 g	0.26 g	※
	518-322-00	LH-600B, POWER GRIP, 100-240V AC	lithium-metal cell	9.0 g	0.26 g	※
	518-322-10	LH-600BG, AC100V	lithium-metal cell	9.0 g	0.26 g	※
	518-322-20	LH-600BG, AC100V	lithium-metal cell	9.0 g	0.26 g	※
	518-322A-01	LH-600B, POWER GRIP, 120V AC (ENGLISH)	lithium-metal cell	9.0 g	0.26 g	※
	518-322A-02	LH-600B, POWER GRIP, 120V AC (SPANISH)	lithium-metal cell	9.0 g	0.26 g	※
	518-322A-21	LH-600BG, AC120V	lithium-metal cell	9.0 g	0.26 g	※
	518-322A-22	LH-600BG	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-01	LH-600B, POWER GRIP, 230V AC (ENGLISH)	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-02	LH-600B, POWER GRIP, 230V AC (SPANISH)	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-03	LH-600B, POWER GRIP, 230V AC (GERMAN)	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-04	LH-600B, POWER GRIP, 230V AC (FRENCH)	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-05	LH-600B, POWER GRIP, 230V AC (ITALIAN)	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-21	LH-600BG, AC220V	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-22	LH-600BG	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-23	LH-600BG	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-24	LH-600BG	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-25	LH-600BG	lithium-metal cell	9.0 g	0.26 g	※
	518-322D-26	LH-600BG, AC220V	lithium-metal cell	9.0 g	0.26 g	※
	518-322E	LH-600B, POWER GRIP, 240V AC (ENGLISH)	lithium-metal cell	9.0 g	0.26 g	※
	518-322E-21	LH-600BG, AC240V	lithium-metal cell	9.0 g	0.26 g	※
	518-331-10	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331-20	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331A-21	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331A-22	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331D-21	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331D-22	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331D-23	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331D-24	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331D-25	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331DC	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331E-21	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-331K	LH-600C	lithium-metal cell	9.0 g	0.26 g	※
	518-332-10	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332-20	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332A-21	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332A-22	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332D-21	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332D-22	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332D-23	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332D-24	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332D-25	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332DC	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332E-21	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-332K	LH-600CG	lithium-metal cell	9.0 g	0.26 g	※
	518-333-10	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333-20	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333A-21	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333A-22	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333D-21	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333D-22	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333D-23	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333D-24	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333D-25	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333DC	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333E-21	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-333K	LH-600CB	lithium-metal cell	9.0 g	0.26 g	※
	518-334-10	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334-20	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334A-21	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334A-22	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334D-21	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334D-22	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334D-23	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334D-24	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334D-25	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334DC	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334E-21	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
	518-334K	LH-600CGB	lithium-metal cell	9.0 g	0.26 g	※
518-341-10	LH-600D	lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	
518-341-20	LH-600D	lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion		
LINEAR HEIGHTS	518-344D-23	LH-600DGB	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	
	518-344D-24	LH-600DGB	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	
	518-344D-25	LH-600DGB	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	
	518-344DC	LH-600DGB	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	
	518-344E-21	LH-600DGB	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	
	518-344K	LH-600DGB	lithium-metal cell lithium-metal cell	10.0 g (CR2477-F2HE7H) or 17.0 g (CR17335 WK11)	0.28 g (CR2477-F2HE7H) or 0.6 g (CR17335 WK11)	※	
	518-351-10	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-351-20	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-351A-21	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-351A-22	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-351D-21	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-351DC	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-351E-21	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-351K	LH-600E	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-352-10	LH-600EG	lithium-metal cell lithium-metal cell	6.6 g (CR2450T25S) 6.3 g (CR2450/G1AK) or	0.18 g (CR2450T25S) 0.18 g (CR2450/G1AK) or		
	518-352-20	LH-601EG	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-352A-21	LH-602EG	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-352A-22	LH-603EG	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-352D-21	LH-604EG	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-352DC	LH-605EG	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	518-352E-21	LH-606EG	lithium-metal cell	6.3 g (CR2450/G1AK) or	0.18 g (CR2450/G1AK) or		
	518-352E-21	LH-606EG	lithium-metal cell	6.6 g (CR2450T25S)	0.18 g (CR2450T25S)		
	518-352K	LH-607EG	lithium-metal cell lithium-metal cell	6.3 g (CR2450/G1AK) or 6.6 g (CR2450T25S)	0.18 g (CR2450/G1AK) or 0.18 g (CR2450T25S)		
	HARDNESS TESTING MACHINE	11AAB487	OPERATION BOX HR-500	lithium-metal cell	2.5 g	0.05 g	※
		11AAB615	OPERATION BOX HM-100	lithium-metal cell	2.5 g	0.05 g	※
		11AAB616	OPERATION BOX HV-100	lithium-metal cell	2.5 g	0.05 g	※
		11AAB672	OPERATION BOX MACROMET	lithium-metal cell	2.5 g	0.05 g	※
		11AAB673	OPERATION BOX MICROMET	lithium-metal cell	2.5 g	0.05 g	※
		11AAB674	OPERATION BOX MICRO VICKERS	lithium-metal cell	2.5 g	0.05 g	※
		11AAB994	HM-200 CONTROL UNIT	lithium-metal cell	10.0 g	0.28 g	
		11AAC136	OPERATION BOX HV-100	lithium-metal cell	5.8 g	0.17 g	
		11AAC137	OPERATION BOX HM-100	lithium-metal cell	5.8 g	0.17 g	
11AAC138		OPERATION BOX HR-500	lithium-metal cell	5.8 g	0.17 g		
11AAC325		COPY PROTECT KEY	lithium-metal cell	1.2 g	less than 1.0 g		
11AAC332		ELECTRIC UNIT HV-100 (WITH ILLUMINATOR)	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g		
11AAC403		OPERATION UNIT	lithium-metal cell	1.8 g	0.04 g		
11AAC472		MAIN PCB	lithium-metal cell	10.5 g	0.29 g		
11AAC580		MAIN CB REPLACING SET	lithium-metal cell	10.0 g	0.28 g		
11AAC582		HM-220 MANUAL ELECTRIC UNIT REPLACING SET	lithium-metal cell	10.0 g	0.28 g		
11AAC583		HM-200 SYSTEM ELECTRIC UNIT REPLACING SET	lithium-metal cell	10.0 g	0.28 g		
11AAC584		HM-200 SYSTEM ELECTRIC UNIT REPLACING SET	lithium-metal cell	10.0 g	0.28 g		
11AAC587		ELECTRIC UNIT HM-100	lithium-metal cell	5.8 g	0.17 g		
11AAC588		ELECTRIC UNIT HM-100 (WITH A ILLUMINATION)	lithium-metal cell	5.8 g	0.17 g		
11AAC589		OPERATION BOX HV-100 (WITH A ROM)	lithium-metal cell	5.8 g	0.17 g		
11AAC590		ELECTRIC UNIT HV-100	lithium-metal cell	5.8 g	0.17 g		
11AAC591		ELECTRIC ASSY HR-521/522	lithium-metal cell	5.8 g	0.17 g		
11AAC593		OPERATION BOX HR-500 (WITH A CPU BOARD)	lithium-metal cell	5.8 g	0.17 g		
11AAC594		OPERATION BOX HR-500 (WITH A ROM)	lithium-metal cell	5.8 g	0.17 g		
11AAC602		TOOL KIT(HARDNESS) ASSY	lithium-metal cell	1.2 g	less than 1.0 g		
11AAC649		DISPLAY UNIT PCB	lithium-metal cell	1.8 g	0.04 g		
11AAC745		HV-100 ELECTRIC UNIT REPLACING SET	lithium-metal cell	10.5 g	0.29 g		
11AAC746		MAIN PCB REPLACING SET	lithium-metal cell	10.5 g	0.29 g		
11AAC764		MAINTENANCE SET 01 FOR HARDNESS TESTING SYS	lithium-metal cell	3.0 g	0.07 g	※	
11AAC765		MAINTENANCE SET 02 FOR HARDNESS TESTING SYS	lithium-metal cell	3.0 g	0.07 g	※	
11AAC766		MAINTENANCE SET 03 FOR HARDNESS TESTING SYS	lithium-metal cell	3.0 g	0.07 g	※	
11AAC767		MAINTENANCE SET 04 FOR HARDNESS TESTING SYS	lithium-metal cell	3.0 g	0.07 g	※	
11AAC810		HV-110 MANUAL ELECTRIC UNIT M REPLACING SET	lithium-metal cell	10.5 g	0.29 g	※	
11AAC811		HV-120 MANUAL ELECTRIC UNIT M REPLACING SET	lithium-metal cell	10.5 g	0.29 g	※	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
HARDNESS TESTING MACHINE	11AAC812	HV-110 MANUAL ELECTRIC UNIT S REPLACING SET	lithium-metal cell	10.5 g	0.29 g
	11AAC813	HV-120 MANUAL ELECTRIC UNIT S REPLACING SET	lithium-metal cell	10.5 g	0.29 g
	11AAC814	MAIN PCB FOR HV-110 REPLACING SET	lithium-metal cell	10.5 g	0.29 g
	11AAC815	MAIN PCB FOR HV-120 REPLACING SET	lithium-metal cell	10.5 g	0.29 g
	11AA0944	OPERATION UNIT HM-200	lithium-metal cell	1.8 g	0.04 g
	11AAC961	MAIN PCB REPLACING SET FOR HM-210	lithium-metal cell	10.0 g	0.28 g
	11AAC962	MAIN PCB REPLACING SET FOR HM-220	lithium-metal cell	10.0 g	0.28 g
	11AAC965	HM-210 MANUAL ELECTRIC UNIT M REPLACING SET	lithium-metal cell	10.0 g	0.28 g
	11AAC966	HM-210 SYSTEM ELECTRIC UNIT S REPLACING SET	lithium-metal cell	10.0 g	0.28 g
	11AAC967	HM-220 MANUAL ELECTRIC UNIT M REPLACING SET	lithium-metal cell	10.0 g	0.28 g
	11AA0968	HM-220 SYSTEM ELECTRIC UNIT S REPLACING SET	lithium-metal cell	10.0 g	0.28 g
	11AAD016	OPERATION UNIT HV-100	lithium-metal cell	1.8g	0.04g
	11AAD166	DISPLAY MM	lithium-metal cell	10.5 g	0.29 g
	11AAD167	DISPLAY INCH	lithium-metal cell	10.5 g	0.29 g
	11AAD212	DISPLAY UNIT BOARD MM	lithium-metal cell	10.5 g	0.29 g
	11AAD213	DISPLAY UNIT BOARD INCH	lithium-metal cell	10.5 g	0.29 g
	11AAD599	DISPLAY UNIT MM	lithium-metal cell	10.5 g	0.29 g
	11AAD600	DISPLAY UNIT MM/INCH	lithium-metal cell	10.5 g	0.29 g
	12AAN735	MAIN BOARD	lithium-metal cell	6.3 g	0.18 g
	12AAQ280	MAIN BOARD(MM)	lithium-metal cell	6.3 g	0.18 g
	12AAQ281	MAIN BOARD(INCH/MM)	lithium-metal cell	6.3 g	0.18 g
	12AAQ777	PC SET	lithium-metal cell	3.2 g or less	0.3 g or less
	19BAA323	LCD TOUCH PANEL/HR-522.521	lithium-metal cell	2.5 g	0.05 g
	810-126	HM-112-01 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-01A	HM-112-01 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-01ABU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-01D	HM-112-01 MICRO-VICKERS, 220V AC	lithium-metal cell	2.5 g	0.05 g
	810-126-01DBU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-01E	HM-112-01 MICRO-VICKERS, 240V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-01EBU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-01K	HM-112-01 MICRO-VICKERS, 100V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-02A	HM-112-02 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-02ABU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-02D	HM-112-02 MICRO-VICKERS, 220V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-02DBU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-02E	HM-112-02 MICRO-VICKERS, 240V AC	lithium-metal cell	2.5 g 5.8 g	0.05 g 0.17 g
	810-126-02EBU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-02K	HM-112-02 MICRO-VICKERS, 100V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-03A	HM-112-03 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-03ABU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-03D	HM-112-03 MICRO-VICKERS, 220V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-03DBU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-03E	HM-112-03 MICRO-VICKERS, 240V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-03EBU	MICROMET5103	lithium-metal cell	2.5 g	0.05 g
	810-126-03K	HM-112-03 MICRO-VICKERS, 100V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-04A	HM-112-04 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-04D	HM-112-04 MICRO-VICKERS, 220V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-04E	HM-112-04 MICRO-VICKERS, 240V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-04K	HM-112-04 MICRO-VICKERS, 100V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-05A	HM-112-05 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-05D	HM-112-05 MICRO-VICKERS, 220V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-05E	HM-112-05 MICRO-VICKERS, 240V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-05K	HM-112-05 MICRO-VICKERS, 100V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-06A	HM-112-06 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-06D	HM-112-06 MICRO-VICKERS, 220V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)
	810-126-06E	HM-112-06 MICRO-VICKERS, 240V AC	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
HARDNESS TESTING MACHINE	810-126-06K	HM-112-06 MICRO-VICKERS, 100V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-07A	HM-112-07 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-07D	HM-112-07	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-07E	HM-112-07	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-07K	HM-112-07	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-10C	HM-112	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-10C	HM-112	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-10C	HM-112	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-1DC	HM-112 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126-1K	HM-112 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126A	HM-112 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126D	HM-112 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126DC	HM-112 MICRO VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126E	HM-112 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-126K	HM-112 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127	HM-122-01 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-01A	HM-122-01 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-01ABU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-01D	HM-122-01 MICRO-VICKERS, 220V AC	lithium-metal cell	2.5 g	0.05 g	※
	810-127-01DBU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-01E	HM-122-01 MICRO-VICKERS, 240V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-01EUBU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-01K	HM-122-01 MICRO-VICKERS, 100V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-02A	HM-122-02 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-02ABU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-02D	HM-122-02 MICRO-VICKERS, 220V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-02DBU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-02E	HM-122-02 MICRO-VICKERS, 240V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-02EUBU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-02K	HM-122-02 MICRO-VICKERS, 100V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-03A	HM-122-03 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-03ABU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-03D	HM-122-03 MICRO-VICKERS, 220V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-03DBU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-03E	HM-122-03 MICRO-VICKERS, 240V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-03EUBU	MICROMETS104	lithium-metal cell	2.5 g	0.05 g	※
	810-127-03K	HM-122-03 MICRO-VICKERS, 100V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-04A	HM-122-04 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-04D	HM-122-04 MICRO-VICKERS, 220V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-04E	HM-122-04 MICRO-VICKERS, 240V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-04K	HM-122-04 MICRO-VICKERS, 100V AC	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-05A	HM-122-05 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-05D	HM-122-05	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-05E	HM-122-05	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-05K	HM-122-05	lithium-metal cell lithium-metal cell	5.8g(CR2354) or 2.5g(CR2025)	0.17g(CR2354) or 0.05g(CR2025)	※
	810-127-06A	HM-122-06 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-06D	HM-122-06	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
HARDNESS TESTING MACHINE	810-127-06E	HM-122-06	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-06K	HM-122-06	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127-10C	HM-122 MICROVICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127A	HM-122 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127D	HM-122 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127DC	HM-122 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127E	HM-122 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-127K	HM-122 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-128	HM-114 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-128-01ABU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-01DBU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-01EBU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-02ABU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-02DBU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-02EBU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-03ABU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-03DBU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-03EBU	MICROMETS114	lithium-metal cell	2.5 g	0.05 g	※
	810-128-10C	HM-114 MICROVICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-128A	HM-114 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-128D	HM-114 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-128DC	HM-114 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-128E	MICRO-VICKERS/HM-114	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-128K	HM-114 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-129	HM-124 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-129-01ABU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-01DBU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-01EBU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-02ABU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-02DBU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-02EBU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-03ABU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-03DBU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-03EBU	MICROMETS124	lithium-metal cell	2.5 g	0.05 g	※
	810-129-10C	HM-124 MICROVICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-129A	HM-124 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-129D	HM-124 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-129DC	HM-124 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-129E	HM-124 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-129K	HM-124 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-155	AVK-HF	lithium-metal cell lithium-metal cell	2.5 g (CR2025-WK16) or 3.0 g (CR2032-T16)	less than 1.0 g or less than 1.0 g	
	810-163	HV-112 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-163-01ABU	MACROVICKERS 5112	lithium-metal cell	2.5 g	0.05 g	※
	810-163-01DBU	MACROVICKERS 5112	lithium-metal cell	2.5 g	0.05 g	※
	810-163-01EBU	MACROVICKERS 5112	lithium-metal cell	2.5 g	0.05 g	※
	810-163-10C	HV-112 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-163A	HV-112 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-163-ABU	MACROVICKERS5112	lithium-metal cell	2.5 g	0.05 g	※
	810-163D	HV-112 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-163-DBU	MACROVICKERS5112	lithium-metal cell	2.5 g	0.05 g	※
	810-163DC	HV-112 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
HARDNESS TESTING MACHINE	810-163E	HV-112 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-163-EBU	MACROVICKERS5112	lithium-metal cell	2.5 g	0.05 g	※
	810-163K	HV-112 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-165	HV-114 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-165-01ABU	MACROVICKERS 5114	lithium-metal cell	2.5 g	0.05 g	※
	810-165-01DBU	MACROVICKERS 5114	lithium-metal cell	2.5 g	0.05 g	※
	810-165-01EBU	MACROVICKERS 5114	lithium-metal cell	2.5 g	0.05 g	※
	810-165-1C	HM-114 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-165A	HV-114 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-165-ABU	MACROVICKERS5114	lithium-metal cell	2.5 g	0.05 g	※
	810-165D	HV-114 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-165-DBU	MACROVICKERS5114	lithium-metal cell	2.5 g	0.05 g	※
	810-165DC	HV-114 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-165E	HV-114 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-165-EBU	MACROVICKERS5114	lithium-metal cell	2.5 g	0.05 g	※
	810-165K	HV-114 VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202-01E	ROCKWELL/HR-521(UK)	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202-02A	ROCKWELL/HR-521	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202-02ABU	MACROMETS121	lithium-metal cell	2.5 g	0.05 g	※
	810-202-02DBU	MACROMETS121	lithium-metal cell	2.5 g	0.05 g	※
	810-202-02EBU	MACROMETS121	lithium-metal cell	2.5 g	0.05 g	※
	810-202-03A	HR-521	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202-03ABU	MACROMETS121	lithium-metal cell	2.5 g	0.05 g	※
	810-202-03DBU	MACROMETS121	lithium-metal cell	2.5 g	0.05 g	※
	810-202-03EBU	MACROMETS121	lithium-metal cell	2.5 g	0.05 g	※
	810-202-1C	HR-521	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202-1DC	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202-1K	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202A	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202C	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202D	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202DC	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202E	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-202K	HR-521 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-203	HR-522 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-203-01E	HR-522 (FOR UK)	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-203-02A	HR-522 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-203-02ABU	MACROMETS122	lithium-metal cell	2.5 g	0.05 g	※
	810-203-02DBU	MACROMETS122	lithium-metal cell	2.5 g	0.05 g	※
	810-203-02EBU	MACROMETS122	lithium-metal cell	2.5 g	0.05 g	※
	810-203-03A	HR-522	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-203-03ABU	MACROMETS122	lithium-metal cell	2.5 g	0.05 g	※
	810-203-03DBU	MACROMETS122	lithium-metal cell	2.5 g	0.05 g	※
	810-203-03EBU	MACROMETS122	lithium-metal cell	2.5 g	0.05 g	※
	810-203A	HR-522 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-203C	HR-522 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
810-203D	HR-522 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
810-203DC	HR-522 ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
HARDNESS TESTING MACHINE	810-207D	HR-523L ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	
	810-207DC	HR-523L ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	
	810-207E	HR-523L ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	
	810-207K	HR-523L ROCKWELL	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	
	810-230	ROCKWELL HARDNESS TESTING MACHINE HR-530	lithium-metal cell	10.5g	0.29g	
	810-231	ROCKWELL HARDNESS TESTING MACHINE HR-530	lithium-metal cell	10.5g	0.29g	
	810-232	ROCKWELL HARDNESS TESTING MACHINE HR-530	lithium-metal cell	10.5g	0.29g	
	810-235	ROCKWELL HARDNESS TESTING MACHINE HR-530	lithium-metal cell	10.5g	0.29g	
	810-236	ROCKWELL HARDNESS TESTING MACHINE HR-530	lithium-metal cell	10.5g	0.29g	
	810-237	ROCKWELL HARDNESS TESTING MACHINE HR-530	lithium-metal cell	10.5g	0.29g	
	810-312-1	VLPAK2000 SYSTEM 1	lithium-metal cell	3.0 g	0.07 g	※
	810-312-11	VLPAK2000 SYSTEM 2	lithium-metal cell	3.0 g	0.07 g	※
	810-314-1	AT-401 SYSTEM 1	lithium-metal cell	3.0 g	0.07 g	※
	810-314-11	AT-401 SYSTEM11	lithium-metal cell	3.0 g	0.07 g	※
	810-330	ROCKWELL HARDNESS TESTING MACHINE HR-530L	lithium-metal cell	10.5g	0.29g	
	810-331	ROCKWELL HARDNESS TESTING MACHINE HR-530L	lithium-metal cell	10.5g	0.29g	
	810-332	ROCKWELL HARDNESS TESTING MACHINE HR-530L	lithium-metal cell	10.5g	0.29g	
	810-335	ROCKWELL HARDNESS TESTING MACHINE HR-530L	lithium-metal cell	10.5g	0.29g	
	810-336	ROCKWELL HARDNESS TESTING MACHINE HR-530L	lithium-metal cell	10.5g	0.29g	
	810-337	ROCKWELL HARDNESS TESTING MACHINE HR-530L	lithium-metal cell	10.5g	0.29g	
	810-355	AUTO-MEASURING UNIT	lithium-metal cell	3.0 g	0.07 g	※
	810-400	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-400A	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-400C	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-400D	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-400DC	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-400E	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-400K	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-401	HM-210 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-401A	HM-210 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-401C	HM-210 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-401D	HM-210 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-401DC	HM-210 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-401E	HM-210 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-401K	HM-210 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-402A	HM-210MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-402D	HM-210MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-402DC	HM-210MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-402E	HM-210MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-403	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-403A	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-403C	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-403D	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-403DC	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-403E	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-403K	HM-210	lithium-metal cell	10.0 g	0.28 g	※
	810-404	HM-210 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-404A	HM-210 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-404C	HM-210 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-404D	HM-210 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-404DC	HM-210 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-404E	HM-210 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-404K	HM-210 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-405	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-405A	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-405C	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-405D	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-405DC	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-405E	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-405K	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-406	HM-220 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-406A	HM-220 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
HARDNESS TESTING MACHINE	810-406C	HM-220 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-406D	HM-220 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-406DC	HM-220 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-406E	HM-220 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-406K	HM-220 MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.0 g	0.04 g 0.28 g	
	810-407A	HM-220MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-407D	HM-220MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-407DC	HM-220MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-407E	HM-220MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-408	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-408A	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-408C	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-408D	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-408DC	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-408E	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-408K	HM-220	lithium-metal cell	10.0 g	0.28 g	※
	810-409	HM-220 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-409A	HM-220 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-409C	HM-220 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-409D	HM-220 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-409DC	HM-220 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-409E	HM-220 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-409K	HM-220 SYSTEM MAIN UNIT	lithium-metal cell	10.0 g	0.28 g	
	810-440	HV-110MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-440A	HV-110MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-440C	HV-110MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-440D	HV-110MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-440DC	HV-110MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-440E	HV-110MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-440K	HV-110MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-441A	HV-110MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-441D	HV-110MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-441DC	HV-110MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-441E	HV-110MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	1.8g 10.5g	0.04g 0.29g	
	810-443	HV-110SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-443A	HV-110SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-443C	HV-110SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-443D	HV-110SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-443DC	HV-110SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-443E	HV-110SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-443K	HV-110SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-445	HV-120MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-445A	HV-120MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-445C	HV-120MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-445D	HV-120MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-445DC	HV-120MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-445E	HV-120MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-445K	HV-120MANUAL MAIN UNIT	lithium-metal cell lithium-metal cell	1.8 g 10.5 g	0.04 g 0.29 g	
	810-446A	HV-120MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	10.5g 1.8g	0.29g 0.04g	
	810-446D	HV-120MANUAL MAIN UNIT MM/INCH	lithium-metal cell lithium-metal cell	10.5g 1.8g	0.29g 0.04g	
810-448	HV-120SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g		

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
HARDNESS TESTING MACHINE	810-448A	HV-120SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-448C	HV-120SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-448D	HV-120SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-448DC	HV-120SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-448E	HV-120SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-448K	HV-120SYSTEM MAIN UNIT	lithium-metal cell	10.5 g	0.29 g	
	810-510-10	ROCKWELL HARDNESS TESTING MACHINE HR-610A	lithium-metal cell	10.5 g	0.29 g	
	810-511-10	ROCKWELL HARDNESS TESTING MACHINE HR-610A	lithium-metal cell	10.5 g	0.29 g	
	810-510-11	ROCKWELL HARDNESS TESTING MACHINE HR-610A	lithium-metal cell	10.5 g	0.29 g	
	810-511-11	ROCKWELL HARDNESS TESTING MACHINE HR-610A	lithium-metal cell	10.5 g	0.29 g	
	810-520-10	ROCKWELL HARDNESS TESTING MACHINE HR-620A	lithium-metal cell	10.5 g	0.29 g	
	810-521-10	ROCKWELL HARDNESS TESTING MACHINE HR-620A	lithium-metal cell	10.5 g	0.29 g	
	810-520-11	ROCKWELL HARDNESS TESTING MACHINE HR-620A	lithium-metal cell	10.5 g	0.29 g	
	810-521-11	ROCKWELL HARDNESS TESTING MACHINE HR-620A	lithium-metal cell	10.5 g	0.29 g	
	810-510-13	ROCKWELL HARDNESS TESTING MACHINE HR-610A	lithium-metal cell	10.5 g	0.29 g	
	810-511-13	ROCKWELL HARDNESS TESTING MACHINE HR-610A	lithium-metal cell	10.5 g	0.29 g	
	810-520-13	ROCKWELL HARDNESS TESTING MACHINE HR-620A	lithium-metal cell	10.5 g	0.29 g	
	810-521-13	ROCKWELL HARDNESS TESTING MACHINE HR-620A	lithium-metal cell	10.5 g	0.29 g	
	810-727	AAV-503	lithium-metal cell	3.0 g	0.07 g	※
	810-728	AAV-504	lithium-metal cell	3.0 g	0.07 g	※
	810-809	MZT-511	lithium-metal cell	2.5 g 3.0 g	0.05 g 0.07 g	※
	810-810	MZT-512	lithium-metal cell	2.5 g 3.0 g	0.05 g 0.07 g	※
	810-811	MZT-521	lithium-metal cell	2.5 g 3.0 g	0.05 g 0.07 g	※
	810-812	MZT-522	lithium-metal cell	2.5 g 3.0 g	0.05 g 0.07 g	※
	810-969	HM-113	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-01A	HM-113-01 W/TV	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-01D	HM-113-01	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-01E	HM-113-01 W/TV, AC240V	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-01K	HM-113-01	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-02A	HM-113-02 W/TV	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-02D	HM-113-02	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-02E	HM-113-02 W/TV, AC240V	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-02K	HM-113-02	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-03A	HM-113-03 W/TV	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-03D	HM-113-03 W/TV, AC220V	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-03E	HM-113-03 W/TV, AC240V	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-03K	HM-113-03	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-04A	HM-113-04	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-04D	HM-113-04	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-04E	HM-113-04, AC240V	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-04K	HM-113-04	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-10K	HM-113 MICROVICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969-1C	HM-113 MICROVICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969A	HM-113 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969D	HM-113 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969DC	HM-113 MICROVICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969E	HM-113 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-969K	HM-113 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-975	HM-125 MICRO-VICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※
	810-975-10K	HM-125 MICROVICKERS	lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion		
HARDNESS TESTING MACHINE	810-990E	HM-123 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-990K	HM-123 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998	HM-115 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998-10K	HM-115 MICROVICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998-1C	HM-115 MICROVICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998A	HM-115 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998D	HM-115 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998DC	HM-115 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998E	HM-115 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
	810-998K	HM-115 MICRO-VICKERS	lithium-metal cell lithium-metal cell	2.5 g (CR2025) or 5.8 g (CR2354)	0.05 g (CR2025) or 0.17 g (CR2354)	※	
DP-1	264-504	DP-1VR	lithium-metal cell	3.3 g	0.304 g		
	264-504-1B	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-504-1K	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-504-5A	DP-1VR	lithium-metal cell	3.3 g	0.304 g		
	264-504-5D	DP-1VR	lithium-metal cell	3.3 g	0.304 g		
	264-504-5DC	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-504-5E	DP-1VR	lithium-metal cell	3.3 g	0.304 g		
	264-504-5F	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-504-5K	DP-1VR	lithium-metal cell	3.3 g	0.304 g		
	264-504A	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-504D	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-504E	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-504F	DP-1VR	lithium-metal cell	3.3 g	0.304 g	※	
	264-505A&D	AD-8121B/A&D	lithium-metal cell	6g	0.29g	※	
	264-505	DP-1VA LOGGER	lithium-metal cell	3.3 g	0.304 g		
	264-505A	DP-1VA LOGGER	lithium-metal cell	3.3 g	0.304 g		
	264-505B	DP-1VA LOGGER	lithium-metal cell	3.3 g	0.304 g		
	264-505D	DP-1VA LOGGER	lithium-metal cell	3.3 g	0.304 g		
	264-505DC	DP-1VA LOGGER	lithium-metal cell	3.3 g	0.304 g		
	264-505E	DP-1VA LOGGER	lithium-metal cell	3.3 g	0.304 g		
	264-505K	DP-1VA LOGGER	lithium-metal cell	3.3 g	0.304 g		
	OTHER VISION MEASURING SYSTEMS	02APY398	DATA PROCESSING UNIT XE25FF(QB?)	lithium-metal cell	3.0 g	0.062 g	
		02APY399A	OPTIPLEX XE2 SFF 8GBメモリ	lithium-metal cell	3.0 g	0.062 g	
		02APY403	DATA PROCESSING UNIT (WINDOWS10)	lithium-metal cell	3.2 g or less or 2.9 g (CR2032)	0.3 g (CR2032) or 0.3 g (CR2032)	※
		02APY403					※
		02AUK050	QVTOOLKIT V1	lithium-metal cell	1.2 g	less than 1.0 g	※
02AUK050A		QVTOOLKIT V1.1	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUK050B		QVTOOLKIT V1.2	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUK052		QVTOOLKIT V1 DONGLE	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUP006		QVTOOLKIT8000 V1	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUP006A		QVTOOLKIT8000 V1.1	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUP008		QVTOOLKIT8000 V1 DONGLE	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ158D		PC D(T3400.19")/QV-QS	lithium-metal cell	3.0 g	0.062 g	※	
02AUQ158E		PC E(T3400.19")/QV-QS	lithium-metal cell	3.0 g	0.062 g	※	
02AUQ158F		PC F(T3400.19")/QV-QS	lithium-metal cell	3.0 g	0.062 g	※	
02AUQ158G		PC G(T3400.19")/QV-QS	lithium-metal cell	3.0 g	0.062 g	※	
02AUQ159A		QVQSDATA PROCESSING UNIT A(T3500.19"	lithium-metal cell	3.0 g	0.062 g	※	
02AUQ159B		QVQSDATA PROCESSING UNIT B(T3500.19"	lithium-metal cell	3.0 g	0.062 g	※	
02AUQ420		DONGLE A (QVTOOLKIT8000)	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ643		QIQS TOOLKIT V1.0	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ643B		QIQS TOOLKIT V1.1	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ643C		QIQSTOOLKIT V1.2	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ645		DONGLE(QIQS TOOLKIT)	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ683		QVQS TOOLKIT V1.0	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ683B		QVQS TOOLKIT V1.1	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ683C		QVQS TOOLKIT V1.2	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ683D		QVQSTOOLKIT V1.3	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ683E		QVQSTOOLKIT V1.4	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUQ685		DONGLE(QVQS TOOLKIT)	lithium-metal cell	1.2 g	less than 1.0 g	※	
02AUR520A		QVQSDATA PROCESSING UNIT A(T3500.19"	lithium-metal cell	3.0 g	0.062 g	※	
02AUR890A		HIGH-PERFORMANCE DATA PROCESSING UNIT A T55	lithium-metal cell	3.0 g	0.062 g	※	
02AUS271A		QV?DATA PROCESSING UNIT (T3500.22"	lithium-metal cell	3.0 g	0.062 g	※	
OTHER VISION MEASURING SYSTEMS		02AUS650A	QVQSDATA PROCESSING UNIT (T3600.22"	lithium-metal cell	3.0 g	0.062 g	
	02AUS690A	HIGH-PERFORMANCE DATA PROCESSING UNIT A T36	lithium-metal cell	3.0 g	0.062 g		
	02AUT993	QIQSTOOLKIT V2.0	lithium-metal cell	1.2 g	less than 1.0 g		
	02AAU300A	QVDATA PROCESSING UNIT (T5810.22インチ)	lithium-metal cell	3.0 g	0.062 g		
	02AAU301A	QSDATA PROCESSING UNIT (T3600.22インチ)	lithium-metal cell	3.0 g	0.062 g	※	
	02AAU307	QVQSTOOLKIT V2.0	lithium-metal cell lithium-metal cell	1.2 g 1.2 g	less than 1.0 g less than 1.0 g		

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
OTHER VISION MEASURING SYSTEMS	02AUU309	QVTOOLKIT8000 V4.0	lithium-metal cell	1.2 g	less than 1.0 g	
	02AUU360A	HIGH-PERFORMANCE DATA PROCESSING UNIT T5810	lithium-metal cell	1.2 g	less than 1.0 g	
	02AUU690	QVQSTOOLKIT V3.0	lithium-metal cell	3.0 g	0.062 g	
	02AUU692	DONGLE_A(QVQSToolKit)	lithium-metal cell	1.2 g	less than 1.0 g	
	02AUU276	QVQSTOOLKIT V4.0	lithium-metal cell	1.2 g	less than 1.0 g	
	02AUV276B	QVQSTOOLKIT V4.1	lithium-metal cell	1.2 g	less than 1.0 g	
	02AUV276C	QVQSTOOLKIT V4.2	lithium-metal cell	1.2 g	less than 1.0 g	
	02AUV550	LASER PRINTER	lithium-metal cell	2.9 g	0.07 g	
	02AUV860A	HIGH-PERFORMANCE DATA PROCESSING UNIT T5810	lithium-metal cell	2.9g(CR2032L/BE) or 3.2g(CR2032)	0.07g(CR2032L/BE) or 0.30g(CR2032)	
	02AUV960	QIQSTOOLKIT V3.0	lithium-metal cell	1.2 g	less than 1g	
	02LBD022	QVTOOLKIT8000 V2.0	lithium-metal cell	1.2 g	less than 1.0 g	
	02LBD022B	QVTOOLKIT8000 V2.1	lithium-metal cell	1.2 g	less than 1.0 g	
	02LBD024	QVTOOLKIT8000 V3.0	lithium-metal cell	1.2 g	less than 1.0 g	
	02LBD024B	QVTOOLKIT8000 V3.1	lithium-metal cell	1.2 g	less than 1.0 g	
	02LBD024C	QVTOOLKIT8000 V3.2	lithium-metal cell	1.2 g	less than 1.0 g	
	02NBB130	QITOOLKIT V1	lithium-metal cell	1.2 g	less than 1.0 g	
	02NBB132	QITOOLKIT V1 DONGLE	lithium-metal cell	1.2 g	less than 1.0 g	
	364-502	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-502C	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-502S	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-502SC	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-502SY	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-502SZ	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-502Y	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-502Z	MVS-H302P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511C	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511S	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511SC	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511SY	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511SZ	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511Y	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-511Z	MVS-X404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512C	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512S	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512SC	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512SY	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512SZ	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512Y	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	364-512Z	MVS-H404P1L-D	lithium-metal cell	6.3 g	0.18 g	
	02AUW187	MVSTOOLKIT V1.0	lithium-metal cell	1.2 g	0.99 g	
	DATA PROCESSOR FOR SPINARM	02AMH543	NOTEBOOK PC WIN FOR SA2	lithium-metal cell	3.0 g	0.062 g
				lithium-ion batteries	326.0 g	56.0 Wh
		02AMH544	NOTEBOOK PC WIN FOR SA2	lithium-metal cell	3.0 g	0.062 g
				lithium-ion batteries	510.0 g	85.0 Wh
		02AUA060	NOTEBOOK PC FOR WIN XP	lithium-metal cell	3.0 g	0.062 g
			lithium-ion batteries	329.0 g	60.0 Wh	
02AUA061		DESKTOP PC FOR WIN 7	lithium-metal cell	3.0 g	0.062 g	
02AUA062		NOTEBOOK PC FOR WIN 7	lithium-metal cell	3.0 g	0.062 g	
			lithium-ion batteries	329.0 g	60.0 Wh	
02AUA065		NOTEBOOK PC FOR WIN 7 SP1	lithium-metal cell	3.0 g	0.062 g	
			lithium-ion batteries	365.0 g	60.0 Wh	
02AUA066		NOTEBOOK PC FOR WIN7 (M4700)	lithium-metal cell	3.0 g	0.062 g	
			lithium-ion batteries	345.0 g	65.0 Wh	
02AUA067		NOTE BOOK PC	lithium-metal cell	3.0 g	0.062 g	
		lithium-ion batteries	345.0 g	65.0 Wh		
02AUV220	HIGH-SPEC NOTEBOOK PC	lithium-ion batteries	395.0g	0.00g		
		lithium-metal cell	5.0g	0.30g		
02AUV221	NOTEBOOK PC	lithium-metal cell	5.0g	0.30g		
		lithium-ion batteries	325.0g	0.00g		
02AUV222	PRECISION7510(WINDOWS10)	lithium-metal cell	5.0g	0.30g		
		lithium-ion batteries	395.0g	0.00g		
02AUV223	PRECISION3510(WINDOWS10)	lithium-ion batteries	325.0g	0.00g		
		lithium-metal cell	5.0g	0.30g		
MACH Ko-ga-me	357-161	KGM888-B	lithium-metal cell	6.9 g	0.18 g	
	357-162	KGM888-B	lithium-metal cell	6.9 g	0.18 g	
	357-163	KGB888-B	lithium-metal cell	6.9 g	0.18 g	
	357-164	KGM12128-B	lithium-metal cell	6.9 g	0.18 g	
	357-165	KGM12128-B	lithium-metal cell	6.9 g	0.18 g	
	357-166	KGM12128-B	lithium-metal cell	6.9 g	0.18 g	
LASER INDICATOR	548-023	LI-H700P	lithium-metal cell	9.6 g	0.3 g	
DATA PROCESSOR FOR MANUAL VISION MEASURING MACHINE	12AAH924	DATA PROCESSOR/MANUAL VISION MEASURING MA	lithium-metal cell	3.0 g	0.07 g	
	12AAV590	PC FOR MANUAL VISION SYSTEM	lithium-metal cell	3.2 g (CR2032) or 2.9 g (CR2032)	0.3 g (CR2032) or 0.3 g (CR2032)	
	12AAL713	PC FOR MANUAL VISION SYSTEM	lithium-metal cell	3.2 g or less	0.3 g or less	
	12AAN632	PC FOR MANUAL VISION SYSTEM	lithium-metal cell	3.2 g or less	0.3 g or less	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion		
DATA PROCESSOR FOR MANUAL VISION MEASURING MACHINE	12AAR087	PC FOR MANUAL VISION SYSTEM	lithium-metal cell	3.2 g or less	0.3 g or less	※	
	12AAR088	PC FOR MANUAL VISION SYSTEM	lithium-metal cell	3.2 g or less	0.3 g or less	※	
	12AAT802	PC FOR MANUAL VISION SYSTEM	lithium-metal cell	3.2 g or less	0.3 g		
DATA PROCESSORS FOR CALIBRATION STANDARD INSTRUMENTS	02APY392B	DATA PROCESSING UNIT B 760DT(Q1IC,G)	lithium-metal cell	3.0 g	0.062 g	※	
	02APY392C	DATA PROCESSING UNIT C 760DT(Q1IC,G)	lithium-metal cell	3.0 g	0.062 g	※	
	02APY392D	DATA PROCESSING UNIT D 760DT(Q1IC,G)	lithium-metal cell	3.0 g	0.062 g	※	
	02APY393A	DATA PROCESSING UNIT A 780DT(Q1IC)	lithium-metal cell	3.0 g	0.062 g	※	
	02APY394A	DATA PROCESSING UNIT A 780DT(Q1IC)	lithium-metal cell	3.0 g	0.062 g	※	
	02APY395A	DATA PROCESSING UNIT A 780DT(Q1E7)	lithium-metal cell	3.0 g	0.062 g		
	02APY396A	DATA PROCESSING UNIT A 790DT(Q1E7)	lithium-metal cell	3.0 g	0.062 g		
	02APY397A	DATA PROCESSING UNIT A 9010DT(Q1E7)	lithium-metal cell	3.0 g	0.062 g		
	02ASR236A	DATA PROCESSING UNIT A 780DT(Q100E)	lithium-metal cell	3.0 g	0.062 g	※	
	02ASR834	DATA PROCESSING UNIT 790MT(Q100E7)	lithium-metal cell	3.0 g	0.062 g	※	
	02ASS235	DATA PROCESSING UNIT 9010MT(Q1000)	lithium-metal cell	3.0 g	0.062 g		
	02ASS236	PC FOR GBC	lithium-metal cell	3.0 g	0.062 g		
	02ASS965	PC FOR GBC	lithium-metal cell	3.0 g	0.062 g		
	02ASS966	PC FOR GBC PCI	lithium-metal cell	3.0 g	0.062 g		
	02ASS967	DATA PROCESSING UNIT XE2MT(Q1000)	lithium-metal cell	3.0 g	0.062 g		
	02ASU203	DATA PROCESSING UNIT XE2SFF(GBC)	lithium-metal cell	3.0g	0.06g		
	02ASU204	DATA PROCESSING UNIT XE2MT(GBC)	lithium-metal cell	3.0g	0.06g		
	02AUV960	QIGSTOOLKIT V3.0	lithium-metal cell	1.2g	1.00g		
	02ASU753	DATA PROCESSING UNIT XE3 SFF(GBCD)	lithium-metal cell	5 g	0.3 g		
	02ASU754	DATA PROCESSING UNIT XE3 MT(GBCD)	lithium-metal cell	5 g	0.3 g		
	02APY404	DATA PROCESSOR(WINDOWS10)	lithium-metal cell	5 g	0.3 g		
	02AUW432	PRECISION3530(WINDOWS10)	lithium-metal cell	3.0g	0.07g		
	02AUW432	PRECISION3530(WINDOWS10)	lithium-metal cell	2.9g	0.3 g		
	02AUW432	PRECISION3530(WINDOWS10)	lithium-metal cell	3.0g	0.072g		
	02AUW432	PRECISION3530(WINDOWS10)	lithium-ion batteries	340.0g	68.0Wh		
	02AUW670	PRECISION7530(WINDOWS10)	lithium-metal cell	3.0g	0.07g		
	02AUW670	PRECISION7530(WINDOWS10)	lithium-metal cell	2.9g	0.3 g		
	02AUW670	PRECISION7530(WINDOWS10)	lithium-metal cell	3.0g	0.072g		
	02AUW670	PRECISION7530(WINDOWS10)	lithium-ion batteries	298.0g	64.0Wh		
	DIGITAL TAPE MEASURES	216-400	TD-S551A1	lithium-metal cell	3.0 g	0.062 g	※
		216-402	TD-S551B1	lithium-metal cell	3.0 g	0.062 g	※
		216-452	TD-S551D1	lithium-metal cell	3.0 g	0.062 g	※
	COUNTER FOR LINEAR GAGE	572-021	SD-D2	lithium-metal cell	8.5 g	0.3 g	※
572-021A		SD-D2	lithium-metal cell	8.5 g	0.3 g	※	
572-021D		SD-D2	lithium-metal cell	8.5 g	0.3 g	※	
572-021DC		SD-D2	lithium-metal cell	8.5 g	0.3 g	※	
572-021E		SD-D2	lithium-metal cell	8.5 g	0.3 g	※	
572-021K		SD-D2	lithium-metal cell	8.5 g	0.3 g	※	
572-031		SD-D2E	lithium-metal cell	8.5 g	0.3 g	※	
572-031A		SD-D2E	lithium-metal cell	8.5 g	0.3 g	※	
572-031D		SD-D2E	lithium-metal cell	8.5 g	0.3 g	※	
572-031DC		SD-D2E	lithium-metal cell	8.5 g	0.3 g	※	
572-031E		SD-D2E	lithium-metal cell	8.5 g	0.3 g	※	
572-031K		SD-D2E	lithium-metal cell	8.5 g	0.3 g	※	
572-051		SD-M1	lithium-metal cell	8.5 g	0.3 g	※	
572-051A		SD-M1	lithium-metal cell	8.5 g	0.3 g	※	
572-052		SD-M2	lithium-metal cell	9.7 g	0.3 g	※	
572-052A		SD-M2	lithium-metal cell	9.7 g	0.3 g	※	
572-052D		SD-M2	lithium-metal cell	9.7 g	0.3 g	※	
572-052DC		SD-M2	lithium-metal cell	9.7 g	0.3 g	※	
572-052E		SD-M2	lithium-metal cell	9.7 g	0.3 g	※	
572-052K	SD-M2	lithium-metal cell	9.7 g	0.3 g	※		
GEM GAGES	700-132SU	PK-C0510SU/C-MASTER	lithium-metal cell	3.0 g	0.062 g	※	
	QM-Data300						
QM-Data300	06AAX305	QM-DATA300/J	lithium-metal cell	10.0 g	0.28 g	※	
	06AAX319	QM-DATA300/PA	lithium-metal cell	10.0 g	0.28 g	※	
	06AAY028	QM-DATA300/D	lithium-metal cell	10.0 g	0.28 g	※	
	06AAY397	QM-DATA300/R	lithium-metal cell	10.0 g	0.28 g	※	
	06AAY481	QM-DATA300/A	lithium-metal cell	10.0 g	0.28 g	※	
	06AAY482	QM-DATA300/E	lithium-metal cell	10.0 g	0.28 g	※	
	06AAY483	QM-DATA300/F	lithium-metal cell	10.0 g	0.28 g	※	
	06ABT086	QM-DATA300 KOREA	lithium-metal cell	10.0 g	0.28 g	※	
	06ABT087	QM-DATA300 CHINA	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA833	QM-DATA 300/J	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA834	QM-DATA 300/PA	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA835	QM-DATA 300/R	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA836	QM-DATA 300/A	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA837	QM-DATA 300/D	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA838	QM-DATA 300/E	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA839	QM-DATA 300/F	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA841	QM-DATA 300/K	lithium-metal cell	10.0 g	0.28 g	※	
	06ADA842	QM-DATA 300/DC	lithium-metal cell	10.0 g	0.28 g	※	
	DATA PROCESSORS FOR CNC-CMM	06ADT325	OPTICAL PROBE CONTROLLER	lithium-metal cell	3.0 g	0.062 g	※
06ADU585		OPTIPLEX760 MINI TOWER	lithium-metal cell	3.0 g	0.062 g	※	
06ADU961		RACK MOUNT PC	lithium-metal cell	3.0 g	0.062 g	※	
06ADY882		PRECISION T3500 MT	lithium-metal cell	3.0 g	0.062 g	※	
06ADZ530		LC80D PROBE SET	lithium-metal cell	3.0 g	0.062 g	※	
06AED783		PRECISIONT3500 MT/7 (2 MONITOR)	lithium-metal cell	3.0 g	0.062 g	※	
06AED866		OPTIPLEX780 MT/7	lithium-metal cell	3.0 g	0.062 g	※	
06AEH805	OPTIPLEX990 MT	lithium-metal cell	3.0 g	0.062 g	※		
MANUAL COORDINATE MEASURING MACH	196-472J1	CRYSTA-PLUS M544	lithium-metal cell	10.0 g	0.28 g	※	
	196-472J2	CRYSTA-PLUS M544	lithium-metal cell	10.0 g	0.28 g	※	
	196-472J3	CRYSTA-PLUS M544	lithium-metal cell	3.0 g	0.062 g	※	
	196-472J4	CRYSTA-PLUS M544	lithium-metal cell	3.0 g	0.062 g	※	

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion		
MANUAL COORDINATE MEASURING MACHI	196-472N1	CRYSTA-PLUS M544	lithium-metal cell	10.0 g	0.28 g	※	
	196-472N2	CRYSTA-PLUS M544	lithium-metal cell	10.0 g	0.28 g	※	
	196-472N3	CRYSTA-PLUS M544	lithium-metal cell	3.0 g	0.062 g	※	
	196-472N4	CRYSTA-PLUS M544	lithium-metal cell	3.0 g	0.062 g	※	
	196-477J1	CRYSTA-PLUS M574	lithium-metal cell	10.0 g	0.28 g	※	
	196-477J2	CRYSTA-PLUS M574	lithium-metal cell	10.0 g	0.28 g	※	
	196-477J3	CRYSTA-PLUS M574	lithium-metal cell	3.0 g	0.062 g	※	
	196-477J4	CRYSTA-PLUS M574	lithium-metal cell	3.0 g	0.062 g	※	
	196-477N1	CRYSTA-PLUS M574	lithium-metal cell	10.0 g	0.28 g	※	
	196-477N2	CRYSTA-PLUS M574	lithium-metal cell	10.0 g	0.28 g	※	
	196-477N3	CRYSTA-PLUS M574	lithium-metal cell	3.0 g	0.062 g	※	
	196-477N4	CRYSTA-PLUS M574	lithium-metal cell	3.0 g	0.062 g	※	
	3D FLEXIBLE GAGE	360-155	CP1057/QM	lithium-metal cell	10.0 g	0.28 g	※
	BALANCING MACHINES	852-107	DEP-J1	lithium-metal cell	9.0 g	0.26 g	※
OTHER MICROSCOPES	176-380	DIGITAL COLOR VISION/DV-50CL	lithium-metal cell	3.0 g	0.07 g	※	
	176-382	DIGITAL COLOR VISION/DV-520L	lithium-metal cell	3.0 g	0.07 g	※	
	176-384	DIGITAL COLOR VISION/DV-210L	lithium-metal cell	3.0 g	0.07 g	※	
VISION UNIT	359-730	VISION UNIT 8SB	lithium-metal cell	3.0 g	0.07 g	※	
	359-731	VISION UNIT 8B	lithium-metal cell	3.0 g	0.07 g	※	
	359-733	VISION UNIT 8UB	lithium-metal cell	3.0 g	0.07 g	※	
	359-735	VISION UNIT 9SB	lithium-metal cell	3.0 g	0.07 g	※	
	359-736	VISION UNIT 9B	lithium-metal cell	3.0 g	0.07 g	※	
	359-738	VISION UNIT 9B	lithium-metal cell	3.0 g	0.07 g	※	
	359-740	VISION UNIT 1B	lithium-metal cell	3.0 g	0.07 g	※	
	359-746	VISION UNIT GENERATION 1C	lithium-metal cell	3.0 g	0.07 g	※	
	359-748	VISION UNIT GENERATION 2C	lithium-metal cell	3.0 g	0.07 g	※	
	359-750	VISION UNIT 2B	lithium-metal cell	3.0 g	0.07 g	※	
	359-756	VISION UNIT GENERATION 3C	lithium-metal cell	3.0 g	0.07 g	※	
	359-758	VISION UNIT GENERATION 4C	lithium-metal cell	3.0 g	0.07 g	※	
	359-760	VISION UNIT 3B	lithium-metal cell	3.0 g	0.07 g	※	
	359-766	VISION UNIT GENERATION 6C	lithium-metal cell	3.0 g	0.07 g	※	
	359-768	VISION UNIT GENERATION 6UC	lithium-metal cell	3.0 g	0.07 g	※	
	359-770	VISION UNIT 4B	lithium-metal cell	3.0 g	0.07 g	※	
	359-776	VISION UNIT GENERATION 7C	lithium-metal cell	3.0 g	0.07 g	※	
	359-780	VISION UNIT 6B	lithium-metal cell	3.0 g	0.07 g	※	
	359-782	VISION UNIT 6UB	lithium-metal cell	3.0 g	0.07 g	※	
	359-786	VISION UNIT GENERATION 8C	lithium-metal cell	3.0 g	0.07 g	※	
	359-788	VISION UNIT GENERATION 8UC	lithium-metal cell	3.0 g	0.07 g	※	
	359-790	VISION UNIT 3C	lithium-metal cell	3.0 g	0.07 g	※	
	359-795	VISION UNIT GENERATION 9SC	lithium-metal cell	3.0 g	0.07 g	※	
	359-796	VISION UNIT GENERATION 9C	lithium-metal cell	3.0 g	0.07 g	※	
359-798	VISION UNIT GENERATION 9UC	lithium-metal cell	3.0 g	0.07 g	※		
MAPVISION	370-101	QUALITY GATE 4200	lithium-metal cell	5g	0.3g		
	370-102	QUALITY GATE 4200	lithium-metal cell	5g	0.3g		
DIGIMATIC CALIPER GAGE	209-832M	CGDI-17	lithium-metal cell	17.0 g	less than 1.0 g	※	
	209-833M	CGDI-35	lithium-metal cell	17.0 g	less than 1.0 g	※	
	209-834M	CGDI-55	lithium-metal cell	17.0 g	less than 1.0 g	※	
	209-835M	CGDI-75	lithium-metal cell	17.0 g	less than 1.0 g	※	
	209-836M	CGDI-95	lithium-metal cell	17.0 g	less than 1.0 g	※	
	209-837M	CGDO-25K	lithium-metal cell	17.0 g	less than 1.0 g	※	
	209-838M	CGDO-25	lithium-metal cell	17.0 g	less than 1.0 g	※	
	209-868M	CGDO-12P	lithium-metal cell	17.0 g	less than 1.0 g	※	
LASER MEASUREMENT SYSTEM	565-000L-D	DUMMY/LASER MEASUREMENT SYSTEM-D	lithium-ion batteries	368 g	0.00 g		

List of products containing lithium batteries

■ Products which, when shipped by Mitutoyo, contain lithium batteries packed together with the equipment, or as parts

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion
RECEIPT PRINTER	12AAN048	RECEIPT PRINTER(FOR JAPAN)	lithium-ion batteries	90.0 g (BP-L0716-A1) or lithium-ion batteries	11.8 Wh (BP-L0716-A1) or 11.1Wh (BP-L0715-A1-E)
	12AAN049	RECEIPT PRINTER(FOR NORTH AMERICA)	lithium-ion batteries	90.0 g (BP-L0716-A1) or lithium-ion batteries	11.8 Wh (BP-L0716-A1) or 11.1Wh (BP-L0715-A1-E)
	12AAN050	RECEIPT PRINTER(FOR EU / EXCLUDING I K)	lithium-ion batteries	90.0 g (BP-L0716-A1) or lithium-ion batteries	11.8 Wh (BP-L0716-A1) or 11.1Wh (BP-L0715-A1-E)
	12AAN051	RECEIPT PRINTER(FOR U.K.)	lithium-ion batteries	90.0 g (BP-L0716-A1) or lithium-ion batteries	11.8 Wh (BP-L0716-A1) or 11.1Wh (BP-L0715-A1-E)
	12BAK198	BATTERY PACK FOR SJ PRINTER	lithium-ion batteries	95.0 g	13.0 Wh
	178-421	PRINTER(WITH CONNECTING CABLE)	lithium-ion batteries	95.0 g	13.0 Wh
	178-421A	PRINTER(WITH CONNECTING CABLE)	lithium-ion batteries	95.0 g	13.0 Wh
	178-421D	PRINTER(WITH CONNECTING CABLE)	lithium-ion batteries	95.0 g	13.0 Wh
MICROMETERS	293-100	MDH-25M	lithium-metal cell	3.0 g	0.07 g
	293-100-10	MDH-25MB	lithium-metal cell	3.0 g	0.07 g
	293-130	MDH-1" M	lithium-metal cell	3.0 g	0.07 g
	293-130-10	MDH-1" MB	lithium-metal cell	3.0 g	0.07 g
SPINARM	02AMB086	BATTERY PACK	lithium-ion batteries	754.0 g	93.0 Wh
	02AMC466	BATTERY PACK	lithium-ion batteries	1100.0 g	93.0 Wh
	C130-223	BATTERY/DIONIC 90	lithium-ion batteries	754.0 g	93.0 Wh
	C130-304	DIONIC HC	lithium-ion batteries	794.0 g	91.0 Wh
	C130-344	BATTERY / DIDITAL G90	lithium-ion batteries	1100.0 g	93.00 g
U-WAVE	02AZD730A	U-WAVE-T	lithium-metal cell	3.0 g	0.06 g
	02AZD730C	U-WAVE-T	lithium-metal cell	3.0 g	0.06 g
	02AZD730D	U-WAVE-T/IP67 TYPE	lithium-metal cell	3.0 g	0.06 Wh
	02AZD730E	U-WAVE-T	lithium-metal cell	3.0 g	0.06 g
	02AZD730F	U-WAVE-T IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD730G	U-WAVE-T/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD730H	U-WAVE-T/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD730J	U-WAVE-T/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD880A	U-WAVE-T	lithium-metal cell	3.0 g	0.06 g
	02AZD880C	U-WAVE-T	lithium-metal cell	3.0 g	0.06 g
	02AZD880D	U-WAVE-T/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD880E	U-WAVE-T	lithium-metal cell	3.0 g	0.06 g
	02AZD880F	U-WAVE-T BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD880G	U-WAVE-T/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD880H	U-WAVE-T/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	02AZD880J	U-WAVE-T/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	264-620K	U-WAVE-TC/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	264-621K	U-WAVE-TC/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	264-622K	U-WAVE-TM/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	264-623K	U-WAVE-TM/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	264-620B	U-WAVE-TC/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	264-621B	U-WAVE-TC/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	264-622B	U-WAVE-TM/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	264-623B	U-WAVE-TM/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
	264-620	U-WAVE-TC/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g
	264-621	U-WAVE-TC/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g
264-622	U-WAVE-TM/IP67 TYPE	lithium-metal cell	3.0 g	0.06 g	
264-623	U-WAVE-TM/BUZZER TYPE	lithium-metal cell	3.0 g	0.06 g	
BORE GAGES	511-925-10	CG-35,60,150AX/ID-CGXB	lithium-metal cell	2.9 g	0.07 g
	511-935-10	CG-1.4,2.5,6" AX/ID-CGEXB	lithium-metal cell	2.9 g	0.07 g
DIGIMATIC INDICATORS	543-300	ID-C112AX	lithium-metal cell	2.9 g	0.07 g
	543-300B	ID-C112AXB	lithium-metal cell	2.9 g	0.07 g
	543-301	ID-C112AMX	lithium-metal cell	2.9 g	0.07 g
	543-301B	ID-C112AMXB	lithium-metal cell	2.9 g	0.07 g
	543-302	ID-C112AEX	lithium-metal cell	2.9 g	0.07 g
	543-302B	ID-C112AEXB	lithium-metal cell	2.9 g	0.07 g
	543-310B	ID-C112GXB	lithium-metal cell	2.9 g	0.07 g
	543-311B	ID-C112GMXB	lithium-metal cell	2.9 g	0.07 g
	543-312B	ID-C112GEXB	lithium-metal cell	2.9 g	0.07 g
	543-312BDM	ID-C112GEXBDM	lithium-metal cell	2.9 g	0.07 g
	543-340B	ID-C112RXB	lithium-metal cell	2.9 g	0.07 g
	543-340BTC	ID-C112RXBTC	lithium-metal cell	2.9 g	0.07 g
	543-341B	ID-C112RMXB	lithium-metal cell	2.9 g	0.07 g
	543-342B	ID-C112REXB	lithium-metal cell	2.9 g	0.07 g
	543-342BDM	ID-C112REXBDM	lithium-metal cell	2.9 g	0.07 g
	543-342BTL	ID-C112REXBTL	lithium-metal cell	2.9 g	0.07 g

(※= Discontinued)

Product	Code No	Description	Battery type	Battery weight	Lithium content (g) for lithium-metal Watt-hour rating (Wh) for lithium-ion	
DIGIMATIC INDICATORS	543-590B	ID-C125RXB	lithium-metal cell	2.9 g	0.07 g	
	543-591B	ID-C125RMXB	lithium-metal cell	2.9 g	0.07 g	
	543-592B	ID-C125REXB	lithium-metal cell	2.9 g	0.07 g	
	543-592BTL	ID-C125REXBTL	lithium-metal cell	2.9 g	0.07 g	
	543-595B	ID-C150RXB	lithium-metal cell	2.9 g	0.07 g	
	543-596B	ID-C150RMXB	lithium-metal cell	2.9 g	0.07 g	
	543-597B	ID-C150REXB	lithium-metal cell	2.9 g	0.07 g	
	543-597BTL	ID-C150REXBTL	lithium-metal cell	2.9 g	0.07 g	
DIGIMATIC HEIGHT GAGES	192-613	HD-30A	lithium-metal cell	3.0 g	0.06 g	※
	192-614	HD-60A	lithium-metal cell	3.0 g	0.06 g	※
	192-615	HD-100A	lithium-metal cell	3.0 g	0.06 g	※
	192-630	HD-12"B	lithium-metal cell	3.0 g	0.06 g	※
	192-630MW	HD-12"B/MW	lithium-metal cell	3.0 g	0.06 g	
	192-631	HD-18"B	lithium-metal cell	3.0 g	0.06 g	※
	192-632	HD-24"B	lithium-metal cell	3.0 g	0.06 g	※
	192-633	HD-40"B	lithium-metal cell	3.0 g	0.06 g	※
	192-663	HDM-30A	lithium-metal cell	3.0 g	0.06 g	※
	192-664	HDM-60A	lithium-metal cell	3.0 g	0.06 g	※
	192-665	HDM-100A	lithium-metal cell	3.0 g	0.06 g	※
	192-670	HDM-12"B	lithium-metal cell	3.0 g	0.06 g	※
	192-671	HDM-18"B	lithium-metal cell	3.0 g	0.06 g	※
	192-672	HDM-24"B	lithium-metal cell	3.0 g	0.06 g	※
	192-673	HDM-40"B	lithium-metal cell	3.0 g	0.06 g	※
OTHER SMALL TOOLS	187-501	BP-D150	lithium-metal cell	3.0 g	0.06 Wh	
	187-502	BP-D300	lithium-metal cell	3.0 g	0.06 g	
	187-505HF	BP-D150HF	lithium-metal cell	3.0 g	0.06 g	
	187-551	BP-D150E	lithium-metal cell	3.0 g	0.06 g	
		187-552	BP-D300E	lithium-metal cell	3.0 g	0.06 g
PRINTER FOR SURFTEST	178-420	SJ PRINTER, 100VAC	lithium-ion batteries	95.0 g	13.0 Wh	※
	178-420A	SJ PRINTER, 120VAC	lithium-ion batteries	95.0 g	13.0 Wh	※
	178-420D	SJ PRINTER, 230VAC	lithium-ion batteries	95.0 g	13.0 Wh	※
		178-420E	SJ PRINTER, 240VAC	lithium-ion batteries	95.0 g	13.0 Wh
RAM CARD FOR FORM MEASURING INSTRUMENTS	355891	RAM CARD(128KBYTE)	lithium-metal cell	3.0 g (BR2325) or	0.05 g (BR2325) or	※
	355891	RAM CARD(128KBYTE)	lithium-metal cell	5.9 g (CR2325)	less than 1.00 g (CR2325)	※
	357659	RAM CARD(256KBYTE)	lithium-metal cell	3.0 g (BR2325) or	0.05 g (BR2325) or	※
	357659	RAM CARD(256KBYTE)	lithium-metal cell	5.9 g (CR2325)	less than 1.00 g (CR2325)	※
	357660	RAM CARD(512KBYTE)	lithium-metal cell	3.0 g (BR2325) or	0.05 g (BR2325) or	※
	357660	RAM CARD(512KBYTE)	lithium-metal cell	5.9 g (CR2325)	less than 1.00 g (CR2325)	※
U-WAVE	02AZB580A	MU WAVE TRANSMITTER TYPE A	lithium-metal cell	3.0 g	0.06 g	※
	02AZB580B	MU WAVE TRANSMITTER TYPE B	lithium-metal cell	3.0 g	0.06 g	※
	02AZB580C	MU WAVE TRANSMITTER TYPE C	lithium-metal cell	3.0 g	0.06 g	※
	02AZB580D	MU WAVE TRANSMITTER TYPE D	lithium-metal cell	3.0 g	0.06 g	※
	02AZB580E	MU WAVE TRANSMITTER TYPE E	lithium-metal cell	3.0 g	0.06 g	※
	02AZB580F	MU WAVE TRANSMITTER TYPE F	lithium-metal cell	3.0 g	0.06 g	※
	02AZB580G	MU-WAVE TRANSMITTER TYPE G	lithium-metal cell	3.0 g	0.06 g	※
	02AZB580H	MU-WAVE TRANSMITTER TYPE H	lithium-metal cell	3.0 g	0.06 g	※
	02AZB590A	MU WAVE TRANSMITTER TYPE A	lithium-metal cell	3.0 g	0.06 g	※
	02AZB590B	MU WAVE TRANSMITTER TYPE B	lithium-metal cell	3.0 g	0.06 g	※
	02AZB590C	MU WAVE TRANSMITTER TYPE C	lithium-metal cell	3.0 g	0.06 g	※
	02AZB590D	MU WAVE TRANSMITTER TYPE D	lithium-metal cell	3.0 g	0.06 g	※
	02AZB590E	MU WAVE TRANSMITTER TYPE E	lithium-metal cell	3.0 g	0.06 g	※
	02AZB590F	MU WAVE TRANSMITTER TYPE F	lithium-metal cell	3.0 g	0.06 g	※
	02AZB590G	MU-WAVE TRANSMITTER TYPE G	lithium-metal cell	3.0 g	0.06 g	※
		02AZB590H	U-WAVE TRANSMITTER TYPE H	lithium-metal cell	3.0 g	0.06 g
SPACE TRAC	02AML407	V PROBE SET	lithium-ion batteries	368.0g	97.92Wh	