

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit	
293-140	QuantuMike	mm	02AZF310	
*293-140-30				
293-141				
*293-141-30				
293-142				
*293-142-30				
293-143				
*293-143-30				
293-180				
*293-180-30				
293-181				
*293-181-30				
293-182				
*293-182-30				
293-183				
*293-183-30				
293-230		Coolant proof micrometer		mm
*293-230-30				
293-231				
*293-231-30				
293-232				
*293-232-30				
293-233				
*293-233-30				
293-234				
*293-234-30				
293-235				
*293-235-30				
293-236				
*293-236-30				
293-237				
*293-237-30				
293-238				
293-250				
293-250-10				
*293-250-30				
293-251				
293-251-10				
*293-251-30				
293-252				
293-252-10				
*293-252-30				
293-253				
293-253-10				
*293-253-30				
293-254				
293-254-10				
*293-254-30				
293-255				
293-255-10				
*293-255-30				
293-256				
293-256-10				
*293-256-30				

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit
293-257	Coolant proof micrometer	mm	02AZF310
293-257-10			
*293-257-30			
293-330			
*293-330-30			
293-331			
*293-331-30			
293-332			
*293-332-30			
293-333			
*293-333-30			
293-334			
*293-334-30			
293-335			
*293-335-30			
293-336			
*293-336-30			
293-350			
293-350-10			
*293-350-30			
293-351			
293-351-10			
*293-351-30			
293-352			
293-352-10			
*293-352-30			
293-353			
293-353-10			
*293-353-30			
293-354			
293-354-10			
*293-354-30			
293-355			
293-355-10			
*293-355-30			
293-356			
293-356-10			
*293-356-30			
293-357			
293-357-10			
*293-357-30			
293-960			
*293-960-30			
293-961			
*293-961-30			
293-962			
*293-962-30			
293-963			
*293-963-30			
293-964			
293-965			
293-966			
*293-966-30			

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit		
314-251	V-anvil micrometer	mm	02AZF310		
314-251-10					
*314-251-30					
314-252					
314-252-10					
*314-252-30					
314-253					
314-253-10					
*314-253-30					
314-261					
314-261-10					
*314-261-30					
314-262					
314-262-10					
*314-262-30					
314-351					
314-351-10					
*314-351-30					
314-352					
314-352-10					
*314-352-30					
314-353					
314-353-10					
*314-353-30					
314-361					
314-361-10					
*314-361-30					
314-362					
314-362-10					
*314-362-30					
317-251		Uni-micrometer		mm	02AZF310
*317-251-30					
317-252					
*317-252-30					
317-351					
*317-351-30					
317-352					
*317-352-30					
323-250					
*323-250-30					
323-251					
*323-251-30					
323-252					
*323-252-30					
323-253					
*323-253-30					
323-350					
*323-350-30					
323-351					
*323-351-30					
323-352					
*323-352-30					
323-353					
*323-353-30					

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit		
324-251	Gear tooth micrometer	mm	02AZF310		
324-251-10					
*324-251-30					
324-252					
324-252-10					
*324-252-30					
324-253					
324-253-10					
*324-253-30					
324-254					
324-254-10					
*324-254-30					
324-351					
324-351-10					
*324-351-30					
324-352					
324-352-10					
*324-352-30					
324-353					
324-353-10					
*324-353-30					
324-354					
324-354-10					
*324-354-30					
326-251		Screw thread micrometer		mm	02AZF310
326-251-10					
*326-251-30					
326-252					
326-252-10					
*326-252-30					
326-253					
326-253-10					
*326-253-30					
326-254					
326-254-10					
*326-254-30					
326-351					
326-351-10					
*326-351-30					
326-352					
326-352-10					
*326-352-30					
326-353					
326-353-10					
*326-353-30					
326-354					
326-354-10					
*326-354-30					
329-250	Depth micrometer		mm	02AZF310	
329-250-10					
*329-250-30					
329-251					
329-251-10					
*329-251-30					
329-350					
		inch/mm			

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit			
329-350-10	Depth micrometer	inch/mm	02AZF310			
*329-350-30						
329-351						
329-351-10						
*329-351-30						
331-251				Spline micrometer	mm	02AZF310
*331-251-30						
331-252						
*331-252-30						
331-253						
*331-253-30						
331-254						
*331-254-30						
331-261						
*331-261-30						
331-262						
*331-262-30						
331-263						
*331-263-30						
331-264						
*331-264-30						
331-351	inch/mm	inch/mm		02AZF310		
*331-351-30						
331-352						
*331-352-30						
331-353						
*331-353-30						
331-354						
*331-354-30						
331-361	Outside micrometer	mm	02AZF310			
*331-361-30						
331-362						
*331-362-30						
331-363						
*331-363-30						
331-364						
*331-364-30						
340-251		Point micrometer			mm	02AZF310
340-251-10						
*340-251-30						
340-252						
340-252-10						
*340-252-30						
340-351						
340-351-10						
*340-351-30						
340-352						
340-352-10						
*340-352-30						
342-251						
*342-251-30						
342-252						
*342-252-30						
342-253						

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit		
*342-253-30	Point micrometer	mm	02AZF310		
342-254					
*342-254-30					
342-261					
*342-261-30					
342-262					
*342-262-30					
342-263					
*342-263-30					
342-264					
*342-264-30					
342-271					
*342-271-30	Crimp height micrometer				
342-351	Point micrometer	inch/mm	02AZF310		
*342-351-30					
342-352					
*342-352-30					
342-353					
*342-353-30					
342-354					
*342-354-30					
342-361					
*342-361-30					
342-362					
*342-362-30					
342-363					
*342-363-30					
342-364					
*342-364-30					
342-371				Crimp height micrometer	
*342-371-30					
343-250	Caliper type outside micrometer	mm	02AZF310		
*343-250-30					
343-251					
*343-251-30					
343-252					
*343-252-30					
343-253					
*343-253-30					
343-350					
*343-350-30					
343-351					
*343-351-30					
343-352					
*343-352-30					
343-353					
*343-353-30					
345-250	Caliper type inside micrometer	mm	02AZF310		
345-250-10					
*345-250-30					
345-251					
345-251-10					
*345-251-30					
345-350					
		inch/mm			

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit
345-350-10	Caliper type inside micrometer	inch/mm	02AZF310
*345-350-30			
345-351			
345-351-10			
*345-351-30			
350-251	Digimatic micrometer head	mm	02AZF310
350-251-10			
*350-251-30			
350-252			
350-252-10			
*350-252-30			
350-253			
350-253-10			
*350-253-30			
350-254			
350-254-10			
*350-254-30			
350-261			
350-261-10			
*350-261-30			
350-271			
350-271-10			
*350-271-30			
350-272			
350-272-10			
350-272-20			
*350-272-30			
350-273			
350-273-10			
*350-273-30			
350-274			
350-274-10			
350-274-20			
*350-274-30			
350-281			
350-281-10			
*350-281-30			
350-282			
350-282-10			
*350-282-30			
350-283			
350-283-10			
*350-283-30			
350-284			
350-284-10			
*350-284-30			
350-351	inch/mm		
350-351-10			
*350-351-30			
350-352			
350-352-10			
*350-352-30			
350-353			
350-353-10			

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit	
*350-353-30	Digimatic micrometer head	inch/mm	02AZF310	
350-354				
350-354-10				
*350-354-30				
350-357-10				
*350-357-30				
350-361				
350-361-10				
*350-361-30				
350-381				
350-381-10				
*350-381-30				
350-382				
350-382-10				
*350-382-30				
350-383				
350-383-10				
*350-383-30				
350-384				
350-384-10				
*350-384-30				
369-250	Disk micrometer	mm		
*369-250-30				
369-251				
*369-251-30				
369-252				
*369-252-30				
369-253				
*369-253-30				
369-350		inch/mm		
*369-350-30				
369-351				
*369-351-30				
369-352				
*369-352-30				
369-353				
*369-353-30				
389-251	Sheet metal micrometer			mm
*389-251-30				
389-252				
*389-252-30				
389-261				
*389-261-30				
389-262				
*389-262-30				
389-271				
*389-271-30				
389-272				
*389-272-30				
389-351		inch/mm		
*389-351-30				
389-352				
*389-352-30				
389-361				

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit
*389-361-30	Sheet metal micrometer	inch/mm	02AZF310
389-362			
*389-362-30			
389-371			
*389-371-30			
389-372			
*389-372-30			
395-251			
*395-251-30			
395-252			
*395-252-30			
395-253			
*395-253-30			
395-254			
*395-254-30			
395-261			
*395-261-30			
395-262			
*395-262-30			
395-263			
*395-263-30			
395-264			
*395-264-30			
395-271	inch/mm		
*395-271-30			
395-272			
*395-272-30			
395-273			
*395-273-30			
395-274			
*395-274-30			
395-351			
*395-351-30			
395-352			
*395-352-30			
395-353			
*395-353-30			
395-354			
*395-354-30			
395-362			
*395-362-30			
395-363			
*395-363-30			
395-364			
*395-364-30			
395-371			
*395-371-30			
395-372			
*395-372-30			
395-373			
*395-373-30			
395-374			
*395-374-30			

**U-WAVE-TM compatible  
Digimatic micrometers/heads**

\* Current product

Order No.	Product name	Unit	Connecting unit		
406-250	Outside micrometer, non-rotating spindle	mm	02AZF310		
*406-250-30					
406-251					
*406-251-30					
406-252					
*406-252-30					
406-253					
*406-253-30					
406-350					
*406-350-30					
406-351					
*406-351-30					
406-352					
*406-352-30					
406-353					
*406-353-30					
422-230	Blade micrometer, non-rotating spindle	mm	02AZF310		
*422-230-30					
422-231					
*422-231-30					
422-232					
*422-232-30					
422-233					
*422-233-30					
422-260					
*422-260-30					
422-261					
*422-261-30					
422-270					
*422-270-30					
422-271					
*422-271-30					
422-330					
*422-330-30					
422-331					
*422-331-30					
422-332					
*422-332-30					
422-333					
*422-333-30					
422-360					
*422-360-30					
422-361					
*422-361-30					
422-370					
*422-370-30					
422-371					
*422-371-30					
				inch/mm	
				inch/mm	

**U-WAVE-TC compatible  
Digimatic caliper/depth gage**

\* Current product

Order No.	Product name	Unit	Connecting unit
500-150-20	ABS Digimatic caliper	mm	02AZF300
*500-150-30			
500-151-20			
*500-151-30			
500-152-20			
*500-152-30			
500-153			
*500-153-30			
500-154-20			
*500-154-30			
500-155-20			
*500-155-30			
500-156-20			
*500-156-30			
500-157-20			
*500-157-30			
500-158-20			
*500-158-30			
500-161-21			
*500-161-30			
500-162-21			
*500-162-30			
500-167			
*500-167-30			
500-168			
*500-168-30			
500-170-20			
*500-170-30			
500-171-20			
*500-171-30			
500-172-20			
*500-172-30			
500-173			
*500-173-30			
500-174-20			
*500-174-30			
500-175-20			
*500-175-30			
500-176-20			
*500-176-30			
500-177-20			
*500-177-30			
500-178-20			
*500-178-30			
500-201-21			
*500-201-30			
500-202-21			
*500-202-30			
500-203-21			
*500-203-30			
500-204-21			
*500-204-30			
500-205			
*500-205-30			
		inch/mm	
		mm	
		inch/mm	
		mm	
		inch/mm	
		mm	

**U-WAVE-TC compatible  
Digimatic caliper/depth gage**

\* Current product

Order No.	Product name	Unit	Connecting unit			
500-233-21	ABS Digimatic caliper	mm	02AZF300			
*500-233-30						
500-234-21						
*500-234-30						
500-235-21						
*500-235-30						
500-236-21						
*500-236-30						
*500-443						
500-444						
*500-445						
*500-463						
500-464						
500-465						
571-201-20				Depth gage	mm	02AZF300
*571-201-30						
571-202-20						
*571-202-30						
571-203-20						
*571-203-30						
571-211-20						
*571-211-30						
571-212-20						
*571-212-30						
571-213-10						
*571-213-30						
573-191-20	ABS low force caliper	mm	02AZF310			
*573-191-30						
573-291-20						
*573-291-30						
500-712-10	ABS coolant proof caliper	mm	02AZF310			
*500-712-20						
500-713-10						
*500-713-20						
500-714-10						
*500-714-20						
500-716-11						
*500-716-20						
500-717-11						
*500-717-20						
500-718-11						
*500-718-20						
500-719-10						
*500-719-20						
500-720-11						
*500-720-20						
500-721-10						
*500-721-20						
500-722-10						
*500-722-20						
500-723-10						
*500-723-20						
500-724-10						
*500-724-20						

**U-WAVE-TC compatible  
Digimatic caliper/depth gage**

\* Current product

Order No.	Product name	Unit	Connecting unit
500-727-11	ABS coolant proof caliper	mm	02AZF310
*500-727-20			
500-728-11			
*500-728-20			
500-735-10			
500-735-20			
500-736-10			
*500-736-20			
500-737-10			
*500-737-20			
500-738-10			
*500-738-20			
500-762-10			
*500-762-20			
500-763-10			
*500-763-20			
500-764-10			
*500-764-20			
500-769-10			
*500-769-20			
550-301-10	ABS Digimatic caliper, nib style jaws	mm	02AZF310
*550-301-20			
550-311-10			
*550-311-20			
550-331-10			
*550-331-20			
550-341-10	ABS Digimatic caliper, nib style and standard jaws	mm	02AZF310
*550-341-20			
551-301-10			
*551-301-20			
551-311-10	Tire tread depth gage	mm	02AZF310
*551-311-20			
551-331-10			
*551-331-20			
551-341-10	Depth gage	mm	02AZF310
*551-341-20			
571-100-20			
*571-200-20			
571-251-10			
*571-251-20			
571-252-10			
*571-252-20			
571-253-10			
*571-253-20			
571-254-10			
*571-254-20			
571-255-10			
*571-255-20			
571-261-10			
*571-261-20			
571-262-10			
*571-262-20			
571-263-10			
*571-263-20			

**U-WAVE-TC compatible  
Digimatic caliper/depth gage**

\* Current product

Order No.	Product name	Unit	Connecting unit
571-264-10	Depth gage	inch/mm	02AZF310
*571-264-20			
571-265-10			
*571-265-20			
571-301-10		mm	
*571-301-20			
571-302-10			
*571-302-20			
571-311-10		inch/mm	
571-311-20			
571-312-10			
*571-312-20		Dedicated caliper	
573-601			
*573-601-20			
573-602			
*573-602-20			
573-604			
*573-604-20			
573-605			
*573-605-20			
573-606			
*573-606-20			
573-608			
*573-608-20			
573-611			
*573-611-20			
573-612			
*573-612-20			
573-614			
*573-614-20			
573-615			
*573-615-20			
573-616			
*573-616-20			
573-618			
*573-618-20			
573-621			
*573-621-20			
573-622			
*573-622-20			
573-625			
*573-625-20			
573-626			
*573-626-20			
573-634			
*573-634-20			
573-635			
*573-635-20			
573-645			
*573-645-20			
573-646			
*573-646-20			
573-647			
*573-647-20			

**U-WAVE-TC compatible  
Digimatic caliper/depth gage**

\* Current product

Order No.	Product name	Unit	Connecting unit
573-648	Dedicated caliper	mm	02AZF310
*573-648-20			
573-651			
*573-651-20			
573-652			
*573-652-20			
573-653			
*573-653-20			
573-654			
*573-654-20			
573-661			
573-661-20			
573-662			
*573-662-20			
573-676			
*573-676-20			
573-677			
*573-677-20			
573-679			
*573-679-20			
573-701			
*573-701-20			
573-702			
*573-702-20			
573-704			
*573-704-20			
573-705			
*573-705-20			
573-706			
*573-706-20			
573-708			
*573-708-20			
573-721			
*573-721-20			
573-725			
*573-725-20			
573-734			
*573-734-20			
573-745			
*573-745-20			
573-746			
*573-746-20			
573-751			
*573-751-20			
573-752			
*573-752-20			
573-761			
*573-761-20			
		inch/mm	



The list applies to brochures E12000 U-WAVE and E12048 Mitutoyo Bluetooth U-WAVE.



Mitutoyo Corporation  
20-1, Sakado 1-Chome, Takatsu-ku, Kawasaki-shi, Kanagawa 213-8533, Japan  
<https://www.mitutoyo.co.jp>